The PRIMAP-hist national historical emissions time series (1750-2023) (v2.6, updated September 2024)

1 Recommended citation

Gütschow, J.; Busch, D.; Pflüger, M. (2024): The PRIMAP-hist national historical emissions time series v2.6 (1750-2023). zenodo. 10.5281/zenodo.13752654.

Gütschow, J.; Jeffery, L.; Gieseke, R.; Gebel, R.; Stevens, D.; Krapp, M.; Rocha, M. (2016): The PRIMAP-hist national historical emissions time series, Earth Syst. Sci. Data, 8, 571-603, $\frac{10.5194}{\text{essd-8-571-2016}}$

2 Content

- Abstract
- Use of the dataset and full description
- Support
- Sources
- Files included in the dataset
- Notes
- Data format description
- Changelog
- References

3 Abstract

The PRIMAP-hist dataset combines several published datasets to create a comprehensive set of greenhouse gas emission pathways for every country and Kyoto gas, covering the years 1750 to 2023, and almost all UNFCCC (United Nations Framework Convention on Climate Change) member states as well as most non-UNFCCC territories. The data resolves the main IPCC (Intergovernmental Panel on Climate Change) 2006 categories. For CO₂, CH₄, and N₂O subsector data for Energy, Industrial Processes and Product Use (IPPU), and Agriculture are available. The "country reported data priority" (CR) scenario of the PRIMAP-hist datset prioritizes data that individual countries report to the UNFCCC. For developed countries, AnnexI in terms of the UNFCCC, this is the data submitted anually in the "common reporting format" (CRF). For developing countries, non-AnnexI in terms of the UNFCCC, this is the data available through the UNFCCC DI portal (di.unfccc.int) with additional country submissions read from pdf and where available xls(x) or csv files. For a list of these submissions please see below. For South Korea the 2023 official GHG inventory has not yet been submitted to the UNFCCC but is included in PRIMAP-hist. PRIMAP-hist also includes official data for Taiwan which is not recognized as a party to the UNFCCC. For this release we have included official data that has not been submitted to the UNFCCC for many Annex-I countries because the submission deadline for Annex-I countries has been postponed to December 2024 because of the introduction of BTRs that come with a new tabular format (Common Reporting Tables, CRT) and a new reporting software that was not ready in time for the usual reporting deadline in April.

Gaps in the country reported data are filled using third party data such as CDIAC, EI (fossil CO_2), Andrew cement emissions data (cement), FAOSTAT (agriculture), EDGAR v8.0 (all sectors except energy), and EDGAR v7.0 (IPPU, f-gases). Lower priority data are harmonized to higher priority data in

the gap-filling process.

For the third party priority time series gaps in the third party data are filled from country reported data sources.

Data for earlier years which are not available in the above mentioned sources are sourced from EDGAR-HYDE, CEDS, and RCP (N₂O only) historical emissions.

The v2.4 release of PRIMAP-hist reduced the time-lag from 2 to 1 years for the October release. Thus the present version 2.6 includes data for 2023. For energy CO₂ growth rates from the EI *Statistical Review of World Energy* are used to extend the country reported (CR) or CDIAC (TP) data to 2023. For CO₂ from cement production Andrew cement data are used. For other gases and sectors we have to rely on numerical methods to estimate emissions for 2023.

Version 2.6 of the PRIMAP-hist dataset does not include emissions from Land Use, Land-Use Change, and Forestry (LULUCF) in the main file. LULUCF data are included in the file with increased number of significant digits and have to be used with care as they are constructed from different sources using different methodologies and are not harmonized.

The PRIMAP-hist v2.6 dataset is an update of

Gütschow, J.; Pflüger, M. (2023): The PRIMAP-hist national historical emissions time series v2.5.1 (1750-2022). zenodo. 10.5281/zenodo. 10705513.

The Changelog below indicates the most important changes. You can also check the issue tracker on github.com/JGuetschow/PRIMAP-hist for additional information on issues found after the release of the dataset. Detailed per country information is available from the detailed changelog which is available on the primap.org website and on zenodo.

4 Use of the dataset and full description

Before using the dataset, please read this document and the article describing the methodology, especially the section on uncertainties and the section on limitations of the method and use of the dataset.

Gütschow, J.; Jeffery, L.; Gieseke, R.; Gebel, R.; Stevens, D.; Krapp, M.; Rocha, M. (2016): The PRIMAP-hist national historical emissions time series, Earth Syst. Sci. Data, 8, 571-603, doi:10.5194/essd-8-571-2016

Please notify us (mail@johannes-guetschow.de) if you use the dataset so that we can keep track of how it is used and take that into consideration when updating and improving the dataset.

When using this dataset or one of its updates, please cite the DOI of the precise version of the dataset used and also the data description article which this dataset is supplement to (see above). Please consider also citing the relevant original sources when using the PRIMAP-hist dataset. See the full citations in the References section further below.

Since version 2.3 we use the data formats developed for the PRIMAP2 climate policy analysis suite: PRIMAP2 on GitHub. The data are published both in the interchange format which consists of a csv file with the data and a yaml file with additional metadata and the native NetCDF based format. For a detailed description of the data format we refer to the PRIMAP2 documentation.

We have also included files with more than three significant digits. These files are mainly aimed at people doing policy analysis using the country reported data scenario (HISTCR). Using the high precision data they can avoid questions on discrepancies with the reported data. The uncertainties of emissions data do not justify the additional significant digits and they might give a false sense of accuracy, so please use this version of the dataset with extra care.

5 Support

If you encounter possible errors or other things that should be noted, please check our issue tracker at github.com/JGuetschow/PRIMAP-hist and report your findings there. Please use the tag "v2.6" in any issue you create regarding this dataset.

If you need support in using the dataset or have any other questions regarding the dataset, please contact johannes.guetschow@climate-resource.com. Climate Resource makes this data available CC BY 4.0 licence. Free support is limited to simple questions and non-commercial users. We also provide additional data, and data support services to clients wanting more frequent updates, additional metadata or to integrate these datasets into their workflows. Get in touch at contact@climate-resource.com if you are interested.

6 Sources

- Global CO₂ emissions from cement production v231222 (Andrew 2023) [data] (https://doi.org/10.5281/zenodo.10423498), paper Andrew (2024), Andrew (2019)
- EI Statistical Review of World Energy website: Energy Institute (2024)
- CDIAC data: Hefner and Marland (2023), data: Hefner (2024), paper Gilfillan and Marland (2021)
- CEDS data: Hoesly et al. (2020), paper: Hoesly et al. (2018)
- EDGAR version 8.0: data/website European Commission, JRC (2023), reports: European Commission. Joint Research Centre. (2023)
- EDGAR version 7.0 (used only for f-gases): data, website JRC (2022), reports: European Commission Joint Research Centre (2022), European Commission Joint Research Centre (2021),
- EDGAR-HYDE 1.4 data: Van Aardenne et al. (2001), Olivier and Berdowski (2001)
- FAOSTAT database data: Food and Agriculture Organization of the United Nations (2024)
- RCP historical data data, paper: Meinshausen et al. (2011)
- UNFCCC Biennial Update Reports, National Communications, and National Inventory Reports for developing countries available from the UNFCCC DI portal website, data: UNFCCC (2024e), Pflüger and Gütschow (2024)
- UNFCCC Biennial Update Reports, National Communications, and National Inventory Reports for developing countries website-BURs, website-NCs, data: UNFCCC (2024d), UNFCCC (2024b) Notes:
 - 1) Not all BUR and NC submissions are included as reading the data is time consuming and not all submission contain sufficient data to be used in PRIMAP-hist.
 - 2) Not all submissions included in PRIMAP-hist are available in the github repository as we do not (yet) have code that we can publish for all submissions.
 - 3) For a list of added submision see section Data source updates (v2.6)
- UNFCCC First Biannial Transparency Reports website, data UNFCCC (2024a) Notes:
 - 1) So far (Sep. 2024) only Australia has submitted in the new tabular format (CRT). Canada has submitted CRF tables as an appendix and for Uzbekistan we have read data from a submitted PDF.
- UNFCCC Common Reporting Format (CRF) website, paper, data (24-01-08): UNFCCC (2024c) (processed as described in Jeffery et al. (2018a))
- Official country repositories (non-UNFCCC)
 - Belarus: Greenhouse gas statistics (1990-2022) website: National Statistical Committee of the Republic of Belarus (2024)
 - EU, Iceland, Norway, Switzerland: National emissions reported to the UNFCCC and to the EU Greenhouse Gas Monitoring Mechanism, April 2024 website: European Environment Agency (2024)
 - Japan: National GHG Inventory 2024 website: National Institute for Environmental Studies, Japan (2024)
 - New Zealand: New Zealand's Greenhouse Gas Inventory 1990–2022 website: Ministry for the Environment (2024)
 - South Korea: website, data: Republic of Korea (2023)

- Taiwan / Republic of China: website, data: Republic of China Environmental Protection Administration (2023)
- Türkiye: Greenhouse Gas Emissions Statistics, 1990-2022 website: Turkish Statistical Institute (2024)
- United Kingdom: Final UK greenhouse gas emissions national statistics: 1990 to 2022 website:
 Department for Energy Security and Net Zero (2024)
- United States of America: Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990-2022 website: US EPA (2024)

For the pre-1990 LULUCF time-series we use the following additional data sources:

- Houghton land use CO₂ website: Houghton (2008)
- HYDE land cover data website: Klein Goldewijk et al. (2010), Klein Goldewijk et al. (2011)
- SAGE Global Potential Vegetation Dataset website: Ramankutty and Foley (1999)
- FAO Country Boundaries website: Food and Agriculture Organization of the United Nations (2015)

7 Files included in the dataset

For each dataset we have three files: the .nc file contains the data and metadata in the native PRIMAP2 netCDF based format. The .csv file contains the data in a csv format following the specifications of the PRIMAP2 interchange format. The metadata for the interchange format file is included in the .yaml file.

- Guetschow-et-al-2024a-PRIMAP-hist_v2.6_final_13-Sep-2024.X: The main dataset with numerical extrapolation of all time series to 2023 and three significant digits.
- Guetschow-et-al-2024a-PRIMAP-hist_v2.6_final_no_extrap_13-Sep-2024.X: Variant without numerical extrapolation of missing values and not including the country groups mentioned in section "area (ISO3)" (three significant digits).
- Guetschow-et-al-2024a-PRIMAP-hist_v2.6_final_no_rounding_13-Sep-2024.X: The main dataset with numerical extrapolation of all time series to 2023 and eleven significant digits.
- Guetschow-et-al-2024a-PRIMAP-hist_v2.6_final_no_extrap_no_rounding_13-Sep-2024.X: Variant without numerical extrapolation of missing values and not including the country groups mentioned in section "area (ISO3)" (eleven significant digits).
- PRIMAP-hist v2.6 data-description.pdf: Data description including changelog.
- PRIMAP-hist_v2.6_updated_figures.pdf: Updated figures from the PRIMAP-hist paper published in ESSD.
- changes_PRIMAP-hist_v2.6_final_nr_to_v2.5.1_final_nr.xlsx: xlsx file which lists relative changes per country, gas and main sector for 2005, 2015, 2020, 2021, 2022, and 1990-2022 (cumulative) from v2.5.1 to v2.6 (comparison between latest version and current version).
- changes_PRIMAP-hist_v2.6_final_nr_to_v2.5_final_nr.xlsx: xlsx file which lists relative changes per country, gas and main sector for 2005, 2015, 2020, 2021, 2022, and 1990-2022 (cumulative) from v2.5 to v2.6 (comparison between last October and current version).
- changes_PRIMAP-hist_v2.6_final_nr_CR_to_TP.xlsx: xlsx file which lists relative differences per country, gas and main sector for 2005, 2015, 2020, 2021, 2022, 2023, and 1990-2023 (cumulative) between country reported priority and third party priority scenarios.
- changelog_v2.5.1_final_to_v2.6_final.zip: Detailed changelog in html format containing plots and a breakdown of changes to sectors and gases for all countries. Country specific notes are also included. To use the changelog locally unpack the zip file and open the file in the "html" directory in your browser. The changelog is also available on the primap.org website.
- changelog_v2.5_final_to_v2.6_final.zip: Detailed changelog in html format containing plots and a breakdown of changes to sectors and gases for all countries. No country specific notes are included. To use the changelog locally unpack the zip file and open the file in the "html" directory in your browser.

8 Notes

• Emissions from international aviation and shipping are not included in the dataset.

• Emissions from Land Use, Land-Use Change, and Forestry (LULUCF) are not included in the main version of this dataset. They are included in the version without rounding as users need to take extra care when using LULUCF data because some of the year-to-year changes in the data come from using different sources or methodology changes within a source rather than changes in actual emissions.

9 Data format description

The PRIMAP-hist data in the comma-separated values (CSV) files is formatted consistently with the PRIMAP2 interchange format.

The data contained in each column are as follows:

9.1 "source"

Name of the data source. Here: $PRIMAP-hist_v2.6$ with suffixes $_ne$ for no extrapolation and $_nr$ for no rounding.

9.2 "scenario (PRIMAP)"

- HISTCR: In this scenario country-reported data (CRF, BUR / NIR / NC / UNFCCCDI) are prioritized over third-party data (CDIAC, FAO, Andrew, EDGAR, BP).
- HISTTP: In this scenario third-party data (CDIAC, FAO, Andrew, EDGAR, BP) are prioritized over country-reported data (CRF, BUR / NIR / NC / UNFCCCDI)

9.3 "provenance"

Provenance of the data. Here: "derived" as it is a composite source.

9.4 "area (ISO3)"

ISO 3166 three-letter country codes or custom codes for groups:

Table 1: Additional "country" codes.

Region description
Aggregated emissions for all countries.
Annex I Parties to the Convention
Non-Annex I Parties to the Convention
Alliance of Small Island States
BASIC countries (Brazil, South Africa, India and China)
European Union post Brexit
Least Developed Countries
Umbrella Group

9.5 "category (IPCC2006)"

IPCC (Intergovernmental Panel on Climate Change) 2006 categories for emissions. Some aggregate sectors have been added to the hierarchy. These begin with the prefix M.

Table 2: Category descriptions using IPCC 2006 terminology.

Category		
code	Description	Gases covered
M.0.EL	National Total excluding LULUCF	all
1	Energy	CO_2, CH_4, N_2O
1.A	Fuel Combustion Activities	CO_2 , CH_4 , N_2O

Category		
code	Description	Gases covered
1.B	Fugitive Emissions from Fuels	CO_2 , CH_4 , N_2O
1.B.1	Solid Fuels	CO_2 , CH_4 , N_2O
1.B.2	Oil and Natural Gas	CO_2 , CH_4 , N_2O
1.B.3	Other Emissions from Energy Production	CO_2 , CH_4 , N_2O
1.C	Carbon Dioxide Transport and Storage	CO_2
2	Industrial Processes and Product Use (IPPU)	CO_2 , CH_4 , N_2O
		f-gases
2.A	Mineral Industry	CO_2
2.B	Chemical Industry	CO_2 , CH_4 , N_2O
$2.\mathrm{C}$	Metal Industry	CO_2 , CH_4 , N_2O
2.D	Non-Energy Products from Fuels and Solvent Use	CO_2 , CH_4 , N_2O
2.E	Electronics Industry (f-gases emitted but not resolved)	N_2O
2.F	Product uses as Substitutes for Ozone Depleting Substances	_
	(no data available as the category is only used for fluorinated	
	gases which are only resolved at the level of category 2)	
2.G	Other Product Manufacture and Use	CO_2 , CH_4 , N_2O
2.H	Other	CO_2 , CH_4 , N_2O
M.AG	Agriculture, sum of 3.A and M.AG.ELV	CO_2 , CH_4 , N_2O
3.A	Livestock	CH_4, N_2O
M.AG.ELV	Agriculture excluding Livestock	CO_2 , CH_4 , N_2O
4	Waste	CO_2 , CH_4 , N_2O
5	Other	CO_2 , CH_4 , N_2O

The categories are organized in a hierarchy where children of each category sum to the parent category. The full IPCC2006 category hierarchy contains many more subcategories, but data availability is not sufficient to resolve the full IPCC category tree in PRIMAP-hist. However, we will regularly assess if the available data allows for resolving addition subcategories. The categories currently resolved by PRIMAP-hist are organized as follows.

```
M.O.EL Total emissions excluding LULUCF
```

- -1 Energy
- 1.A Fuel Combustion Activities
- -1.B Fugitive Emissions from Fuels
- -1.B.1 Solid Fuels
- -1.B.2 Oil and Natural Gas
- 1.B.3 Other Emissions from Energy Production
- 1.C Carbon Dioxide Transport and Storage
- -2 Industrial Processes and Product Use
- -2.A Mineral Industry
- -2.B Chemical Industry
- -2.C Metal Industry
- 2.D Non-Energy Products from Fuels and Solvent Use
- -2.E Electronics Industry
- -2.F Product Uses as Substitutes for Ozone Depleting Substances
- 2.G Other Product Manufacture and Use
- 2.H Other
- 4 Waste
- -5 Other
- M.AG Agriculture
- -3.A Livestock
- M.AG.ELV Agriculture excluding Livestock

The "no_rounding" version of the dataset additionally contains data for the "Land Use, Land Use Change, and Forestry" sector and sectors sums including this sectors

Table 3: Additional category descriptions using IPCC 2006 terminology.

Category code	Description	Gases covered
0	National Total including LULUCF	CO ₂ , CH ₄ , N ₂ O, f-gases
3	Agriculture, Forestry and Other Land Use (AFOLU)	CO ₂ , CH ₄ , N ₂ O
M.LULUCF	Land Use, Land Use Change, and Forestry	CO ₂ , CH ₄ , N ₂ O

PRIMAP-hist uses a distinction between agriculture and Land Use, Land Use Change and Forestry which are combined into the AFOLU sector in IPCC2006 categories. Thus, in contrast to the standard IPCC 2006 categories, category 3 "Agriculture, Forestry, and Other Land Use" is subdivided as follows:

3 Agriculture, Forestry, and Other Land Use

M.AG Agriculture

3.A Livestock

M.AG.ELV Agriculture excluding Livestock

M.LULUCF Land Use, Land Use Change, and Forestry

Where a national total including LULUCF is reported, it is calculated as the sum of "M.0.EL Total emissions excluding LULUCF" and "M.LULUCF Land Use, Land Use Change, and Forestry":

O National Total

M.O.EL Total emissions excluding LULUCF

-1 Energy

2 Industrial Processes and Product Use

-4 Waste

-5 Other

LM.AG Agriculture

M.LULUCF Land Use, Land Use Change, and Forestry

9.6 "entity"

Gas baskets using global warming potentials (GWP) from the Second Assessment Report (SAR), Fourth Assessment Report (AR4), Fifth Assessment Report (AR5), Sixth Assessment Report (AR6).

Table 4: Gas categories and underlying global warming potentials

Code	Description
CH4	Methane
CO2	Carbon Dioxide
N2O	Nitrous Oxide
HFCS (SARGWP100)	Hydrofluorocarbons (SAR)
HFCS (AR4GWP100)	Hydrofluorocarbons (AR4)
HFCS (AR5GWP100)	Hydrofluorocarbons (AR5)
HFCS (AR6GWP100)	Hydrofluorocarbons (AR6)
PFCS (SARGWP100)	Perfluorocarbons (SAR)
PFCS (AR4GWP100)	Perfluorocarbons (AR4)
PFCS (AR5GWP100)	Perfluorocarbons (AR5)
PFCS (AR6GWP100)	Perfluorocarbons (AR6)
SF6	Sulfur Hexafluoride
NF3	Nitrogen Trifluoride
FGASES (SARGWP100)	Fluorinated Gases (SAR): HFCs, PFCs, SF ₆ , NF ₃
FGASES (AR4GWP100)	Fluorinated Gases (AR4): HFCs, PFCs, SF ₆ , NF ₃

Code	Description
FGASES (AR5GWP100) FGASES (AR6GWP100) KYOTOGHG (SARGWP100) KYOTOGHG (AR4GWP100) KYOTOGHG (AR5GWP100) KYOTOGHG (AR6GWP100)	Fluorinated Gases (AR5): HFCs, PFCs, SF ₆ , NF ₃ Fluorinated Gases (AR6): HFCs, PFCs, SF ₆ , NF ₃ Kyoto greenhouse gases (SAR) Kyoto greenhouse gases (AR4) Kyoto greenhouse gases (AR5) Kyoto greenhouse gases (AR6)

9.7 "unit"

Unit is either $\langle substance \rangle$ * gigagram / a where substance is the entity or for CO₂ equivalent units CO₂ * gigagram / a. The CO₂-equivalent is calculated according to the global warming potential indicated by the entity (see above).

9.8 Remaining columns

Years from 1750-2023.

10 Changelog

Throughout this section we use "CR" to refer to the country-reported data priority source and "TP" to refer to the third-party priority source.

10.1 v2.6 (September 2024)

The v2.6 release updates country reported and some third party data. New and updated input data sources are UNFCCC data for AnnexI and non-AnnexI countries, official country inventories, Energy Institute's fossil fuel related emissions, and cement process emissions data. For detailed per country changes see detailed changelog.

10.1.1 Changes in data sources and preprocessing (v2.6)

10.1.1.1 Data source updates (v2.6)

- CRF / BTR / AnnexI inventories: We have read country reported AnnexI data from Biannial Transparency Reports (BTR, UNFCCC (2024a)) and several other sources:
 - For Australia we have read the official BTR1 submission
 - Canada has submitted CRF tables as additional information to the NID to BTR1
 - New Zealand has published CRF tables as part of an official inventory (but not submitted them to the UNFCCC) (Ministry for the Environment (2024))
 - All countries participating in the EU ETS submit GHG inventories to the EU which we have included (EEA, European Environment Agency (2024))
 - For the USA, the United Kingdom and Japan we use national inventories covering all sectors and gases. (US EPA (2024), Department for Energy Security and Net Zero (2024), National Institute for Environmental Studies, Japan (2024))
 - For Türkiye and Belarus we use national emissions inventories covering only the main sectors and gases and use CRF2023 to downscale the data to PRIMAP-hist categories and gases. (Turkish Statistical Institute (2024), National Statistical Committee of the Republic of Belarus (2024))
- **UNFCCCDI:** We have updated UNFCCCDI data but there is no new information since the last update (Pflüger and Gütschow (2024))
- UNFCCC BUR, BTR, and NC data (non-AnnexI) We have included the following Biannial Update Report (BTR), Biannial Transparency Report (BTR) and National Communication (NC) submissions for non-AnnexI countries (UNFCCC (2024d), UNFCCC (2024a), UNFCCC (2024b)):
 - Algeria BUR1 / NIR: detailed data for 1990-2020
 - Argentina BUR5: detailed data for 1990 2020 (read from the official emissions inventory underlying $\frac{BUR5}{}$)

- Bangladesh BUR1: data for 2013 2019
- Burundi BUR1: detailed data for 2005 2019
- Cabo Verde, BUR1: detailed inventory for 2019, trends for 1995, 2000, 2005, 2010, 2015 which needed some downscaling
- China, Macao, Hong Kong BUR3, NC4: Inventories for 2005, 2017, and 2018. 2005 data is downscaled to the PRIMAP-hist gases and categories.
- Guinea BUR1: detailed data for 1990, 1995, 2000, 2005, 2010, 2015, 2018, 2019
- India NC3: included trends (2011 2018) which were downscaled to PRIMAP-hist gases. 2019 data already included in v2.5.1
- Mongolia BUR2: Data for 1990-2020 but not usable for all sectors for all years and downscaling not possible for all sectors.
- Republic of Korea 2023 inventory: detailed data for 1990 2021
- Saint Kitts and Nevis BUR1: Data for 2008-2018, downscaling needed.
- Taiwan 2023 inventory: detailed data for 1990 2021
- South Africa Inventory underlying BUR5: detailed data for 2012-2020
- United Arab Emirates **BUR1**: Detailed inventory for 2021.
- Uzbekistan BTR1 / NIR: Detailed data for 1990-2021
- Andrew cement emissions data have been updated to the May 2024 version (Andrew (2024)).
- EI: Energy Institute's Statistical Review of World Energy data have been updated to the 2024 version (Energy Institute (2024))

10.1.2 Changes in PRIMAP-hist source creation (v2.6)

10.1.2.1 Methodology changes (v2.6)

• To better incorporate shorter term trends into our modeling we have reduced the period that is used to calculate trend for numerical extrapolation to 5 years for all sectors and gases except energy CO₂. For energy CO₂ we keep the 15 year period to filter out limited time effects of the Covid-19 pandemic. (closes issue #80)

10.1.2.2 Data source prioritization (v2.6)

- Replacement with updated version of the data. See Section Changes in data sources and preprocessing (v2.6) above.
- For categories 4 and 5 FAOSTAT data was accidentally prioritized over EDGAR. This has been fixed. For details see section Bug fixes and resolved issues (v2.6) below.

10.1.2.3 Sectors and gases (v2.6)

• no changes

10.1.2.4 Composite source generation methodology (v2.6)

• No changes

10.1.2.5 Special treatment of individual countries (v2.6)

- Special treatments for Albania (1.B.1, 1.B.2, 2.C), China (2.B), Croatia (1.B.2), Dominican Republic (2.C), The Democratic Republic of the Congo (1.A), France (1.B.2), Ghana (1.B.2), Jamaica (1.B.1), Latvia (2.C), Myanmar (2.B), Namibia (2.A), Nigeria (2.C), Pakistan (1.B.2), Saint Lucia (1.B.1), Saint Vincent and the Grenadines (1.A), Saudi Arabia (2.C), Vanuatu (1.B.2), and the former Soviet Union states (2.C) are still in place (see Special treatment of individual countries (v2.5.1)).
- Ireland: We replace missing data in the EEA source for 2.B, CO₂ with 0 (from CRF2023 data).
- **Germany:** We extrapolate EI2024 data for CO2 in 1.B.2 into the past until 2006 to better match EDGAR data and remove a scaling problem (TP scenario only).
- **Jordan:** We have updated the special treatment for CO₂ in 1.B.2 to start in 1988 instead of 2014 to remove a scaling problem for pre-1990 data.

10.1.3 Bug fixes and resolved issues (v2.6)

- In the UNFCCCDI data the IPCCC1996 sector 2 (Solvent and other product use) was not correctly mapped to IPCC2006 sector 2.D. This has been corrected. Where it influences country's emissions (very few cases) it is mentioned in the detailed changelog.
- In the UNFCCCDI data liming emissions were not correctly mapped and missing in the data used in PRIMAP-hist. The effect is small and does not significantly influence the total emissions of any country.
- In PRIMAP-hist v2.5.1 FAOSTAT data was accidentally included for sectors 4 and 5 with higher priority than EDGAR 8.0. As FAOSTAT is based on PRIMAP-hist TP for non-AFOLU sectors this means that for the TP time-series the last PRIMAP-hist version was used instead of the new EDGAR data. We have fixed this in v2.6. As there are high changes in EDGAR 8.0 vs. older data this has influenced many country's emissions. The influence on total emissions is below 0.5% for almost all countries. The country pages in the detailed changelog list the influence where relevant.
- We have further worked on problems with scaling of historical CO₂ emissions especially for 1.B.2. For some countries problems remain. (issue #34)
- Bugs affecting individual countries are listed on the country pages in the detailed changelog.

10.1.4 Known problems (v2.6)

This listing only contains issues that affect several countries. For individual country issues see also the listing of detailed per country changes the file PRIMAP-hist_v2.5_detailed_CHANGELOG.pdf.

- FAO data for synthetic fertilizers do not cover the full period (1961 2018) for several countries. In the 2020 release data for some countries were removed leading to changed emission estimates. Some time series start later than 1961, while others have gaps. We currently use the summed "Agricultural Soils" data from the FAO emissions total domain. We plan to use detailed FAO data processing in v2.5 again and solve this issue. (issue #22)
- We have further worked on problems with scaling of historical CO_2 emissions especially for 1.B.2. For some countries problems remain. (issue #34)
- Process emissions from lime production (2.A.2) are currently not included in the third party priority (TP) scenario, as we use Andrew cement data as a proxy for sector 2.A. To include lime process emissions sub-sector resolution of 2.A would have to be introduced. (issue #38)
- EDGAR data for N₂O, 1.B.1 is very limited for some countries, thus extrapolation generates most of the data for those countries. The main problem is Croatia, however it's not relevant on the level of aggregate emissions. (issue #42)
- For some countries some timeseries start later than 1750, so long range historical data (CEDS etc.) are (partly) missing. This issues has been fixed for most cases, but a few remain. (see issue #56)
- For problems that were found after the release of the dataset, please consult the issue tracker github.com/JGuetschow/PRIMAP-hist. If you encounter a problem please add an issue or contact the authors directly.

10.1.5 Noteworthy changes (v2.6)

Here we only list changes affecting all countries, country groups or several countries. For detailed per country changes please consult the detailed changelog available on zenodo and the primap.org website.

- For the "third party priority" scenario (TP), input data updates are limited to CO₂ in 1.A, 1.B.2, and 2.A. The removal of FAOSTAT data for sectors 4 (waste) and 5 (other) leads to the use of EDGAR 8.0 data for these sectors and introduces changes in the TP time series as well.
- For the "country reported priority" time series we have new data covering all sectors for several countries. This leads to changed data in many sectors for these countries. For 2022 and where country reported data are missing the CR time-series have changes in the same sectors as the TP time-series.
- The new Energy Institute data corrects estimates for 2021 and 2022 for many countries, so many countries have changes in energy CO₂ for 2021 and 2022.
- We use EU data and other national inventory data for most AnnexI countries this year rather than data submitted to the UNFCCC, because the latter is not available. For countries with overseas territories this might have an impact, because emissions from these territories might be excluded for the EU reporting but included for the UNFCCC reporting (especially France, (Netherlands

territories should not be included in UNFCCC emissions reporting either))

• We have noticed high differences in waste emissions for EU inventory countries.

10.2 v2.5.1 (February 2024)

The v2.5.1 release updates mainly third party data. New and updated input data sources are UNFCCC data for AnnexI, CDIAC fossil fuel related emissions (Hefner and Marland (2023)), EDGAR v8.0 data (CO₂, CH₄, N₂O), cement process emissions data (Andrew (2023)), and data from India's third National Communication. For detailed per country changes see detailed changelog.

10.2.1 Changes in data sources and preprocessing (v2.5.1)

- Data source updates
 - CRF has been updated to the 2023 submissions available at Jan 8th 2024
 - UNFCCC data for non-AnnexI countries We have included 2019 data from India's third National Communication.
 - **EDGAR v8.0** EDGAR data have been updated to the 8.0 release for CO_2 , CH_4 , and N_2O . As f-gas data have no gas resolution in EDGAR 8.0 we continue to use EDGAR v7.0 data for f-gases.
 - Andrew cement emissions data have been updated to the December 2023 version.

10.2.2 Changes in PRIMAP-hist source creation (v2.5.1)

10.2.2.1 Methodology changes (v2.5.1)

10.2.2.2 Data source prioritization (v2.5.1)

• Replacement with updated version of the data. See Section Changes in data sources and preprocessing (v2.5.1) above.

10.2.2.3 Sectors and gases (v2.5.1)

no changes

10.2.2.4 Composite source generation methodology (v2.5.1)

• We have adjusted the methodology such that zero data is now always extrapolated with zero even if the lower priority dataset is non-zero.

10.2.2.5 Special treatment of individual countries (v2.5.1)

- Special treatments for Albania (1.B.1, 1.B.2, 2.C), China (2.B), Croatia (1.B.2), The Democratic Republic of the Congo (1.A), France (1.B.2), Ghana (1.B.2), Jamaica (1.B.1), Jordan (1.B.2), Latvia (2.C), Myanmar (2.B), Namibia (2.A), Nigeria (2.C), Pakistan (1.B.2), Saint Lucia (1.B.1), Saint Vincent and the Grenadines (1.A), Saudi Arabia (2.C), Vanuatu (1.B.2) are still in place (see Special treatment of individual countries (v2.5)). The special treatments for Albania (2.A), Andorra (4), India (f-gases), Spain (1.B.1) have been removed.
- **Dominican Republic:** Scaling of EDGAR to UNFCCC data gives huge emissions for CO₂ in category 2.C. We use the EDGAR values for 1983-1997 directly without hamronization.
- Former Soviet Union states: Several states of the former Soviet Union show very high emissions for CO₂ in category 2.C (metal industry) 1978-1989. The production data published in the USGS Mineral Yearbook 1991 which covers 1987-1991 does not show a significant change in production which could justify the high emissions differences between 1989 and 1990. EDGAR lists USGS as a source for their activity data for this sector. We remove the EDGAR 8.0 1978-1989 2.C CO₂ data for the following countries: Russia, Ukraine, Belarus, Uzbekistan. Turkmenistan, Estonia, Azerbaijan, Latvia, Armenia, Lithuania.

10.2.3 Bug fixes and resolved issues (v2.5.1)

- N₂O data in 2.G is now zero in the CR scenario as it has been added as zero in the country reported data. (closes issue #74)
- Country reported data for 1994 have been removed for Burkina Faso as they were inconsistent with data for later years. (closes issue #53)
- Unofficial LULUCF data was missing for CH₄ in v2.5. This has been solved (closes issue #79)
- The dowscaling of the former Soviet Union to it's member states lead to discontinuities in CDIAC emissions for some member states, especially Georgia. We have adjusted the calculation of the shares for the downscaling to account for the rapid emissions decline after 1990 that occurred differently in different countries and now only use the first year with individual data to calculate the shares (instead of a multi year average). (closes issue #75)
- In v2.5 the provenance column sait "measured" while the data is clearly "derived". This has been fixed. (closes issue #78)

10.2.4 Known problems (v2.5.1)

This listing only contains issues that affect several countries. For individual country issues see also the listing of detailed per country changes the file PRIMAP-hist_v2.5_detailed_CHANGELOG.pdf.

- FAO data for synthetic fertilizers do not cover the full period (1961 2018) for several countries. In the 2020 release data for some countries were removed leading to changed emission estimates. Some time series start later than 1961, while others have gaps. We currently use the summed "Agricultural Soils" data from the FAO emissions total domain. We plan to use detailed FAO data processing in v2.5 again and solve this issue. (issue #22)
- In v2.2 there was a problem with scaling of historical CO₂ emissions especially for 1.B.2 and the USA. The new scaling algorithm has alleviated this problem, but it is not completely solved. Countries affected are Belize, Morocco, Mexico, Turkey, USA. (issue #34)
- Process emissions from lime production (2.A.2) are currently not included in the third party priority (TP) scenario, as we use Andrew cement data as a proxy for sector 2.A. To include lime process emissions sub-sector resolution of 2.A would have to be introduced. (issue #38)
- EDGAR data for N₂O, 1.B.1 is very limited for some countries, thus extrapolation generates most of the data for those countries. The main problem is Croatia, however it's not relevant on the level of aggregate emissions. (issue #42)
- For some countries some timeseries start later than 1750, so long range historical data (CEDS etc.) are (partly) missing. This issues has been fixed for most cases, but a few remain. (see issue #56)
- For problems that were found after the release of the dataset, please consult the issue tracker github.com/JGuetschow/PRIMAP-hist. If you encounter a problem please add an issue or contact the authors directly.

10.2.5 Noteworthy changes (v2.5.1)

Here we only list changes affecting all countries, country groups or several countries. For detailed per country changes please consult the detailed changelog available on zenode and the primap.org website.

- Updates of input data are mostly for third party sources, thus the changes in the third party (TP) scenario are higher and affect more sectors than the changes in the country reported priority scenario (CR). In both scenarios non-AnnexI countries have more and higher changes than AnnexI countries.
- CDIAC data have been updated to the 2023 release which covers three additional years. This leads to changes for the last years in energy $\rm CO_2$ emissions for several countries, especially in the TP scenario.
- The update of EDGAR data has changed emissions in the TP scenario and for countries with limited country reported data also the CR scenario. Sectors affected most are 1.B.1, 1.B.2, 2.C, and 2.D. As the new license for EDGAR energy CO₂ data is incompatible with the PRIMAP-hist license we have completely removed the data. This only affect very few countries (noted in the country details)
- The update of FAOSTAT data have mostly affected the last two years (as 2021 data were added), but some countries also have changes for longer time periods.

10.3 v2.5 (October 2023)

The v2.5 release updates mainly country reported data and extends the time series by one year to 2022. New and updated input data sources are UNFCCC data for AnnexI and non-AnnexI data, EI data (Energy Institute (2023)), and cement process emissions data (Andrew (2023)). F-gas data are now included from EDGAR v7.0. The changelog presented here is a shortened version of the full changelog available in the file *PRIMAP-hist_v2.5_detailed_CHANGELOG.pdf*.

10.3.1 Changes in data sources and preprocessing (v2.5)

- Data source updates
 - CRF has been updated to the 2023 submissions (closes issues #64, #65)
 - UNFCCC data for non-AnnexI countries have been combined from different sources (DI interface and BURs / NCs / NIRs read from pdf / xlsx). Several new and older reports have been included (closes issues #66, #67). We refer to this source as UNFCCCALL. New (and older) BURs / NIRs / NCs have been added for the countries listed below. The years covered are added in parentheses. Often not all years have a full inventory thus downscaling is needed to make the data usable for PRIMAP-hist. For some submissions individual years or time series have to be removed due to errors or inconsistencies with other data sources. For more information check the full changelog available in the file PRIMAP-hist_v2.5_detailed_CHANGELOG.pdf.
 - * **Afghanistan:** BUR1 (1990-2017)
 - * Albania: NC4 (2009-2019), combined with data from the UNFCCC DI portal
 - * **Andorra:** BUR4 (1990, 1995, 2000, 2005, 2010-2019), combined with data from older BURs
 - * Armenia: BUR3 (2017), combined with data from the UNFCCC DI portal
 - * Antigua and Barbuda: BUR1 (2015), NC3 (2006), combined with data from the UNFCCC DI portal
 - * Azerbaijan: NC4 (1990, 1995, 2000, 2005, 2010-2016)
 - * **Benin:** BUR1 (1990, 1995, 2000, 2005, 2010-2014, 2015)
 - * Bangladesh: NC3 (2012), combined with data from the UNFCCC DI portal
 - * Bahrain: NC3 (2007), combined with data from the UNFCCC DI portal
 - * **Bahamas:** BUR1 (2001-2018)
 - * Belize: BUR1 (2012, 2015, 2017), combined with data from the UNFCCC DI portal
 - * Bolivia: NC3 (2006, 2008), combined with data from the UNFCCC DI portal
 - * Brunei Darussalam: NC2 (2010-2014)
 - * Bhutan: BUR1 (1994-2020), combined with data from the UNFCCC DI portal
 - * Botswana: NC3 (2014), combined with data from the UNFCCC DI portal
 - * Chile: BUR5 (1990-2018)
 - * Cook Islands: NC3 (2007-2014), combined with data from the UNFCCC DI portal
 - * Cape Verde: NC3 (1995, 2000, 2005, 2010)
 - * Costa Rica: NIR (1990, 1996, 2000, 2005, 2010, 2012-2017)
 - * Cuba: BUR1 (2016), NC3 (2010, 2012, 2014), combined with data from the UNFCCC DI portal
 - * Djibouti: NC3 (2010), combined with data from the UNFCCC DI portal
 - * Dominican Republic: BUR1 (2015), combined with data from the UNFCCC DI portal
 - * **Ecuador:** NIR (1994, 2000, 2006, 2010, 2012, 2014, 2016, 2018), combined with data from the UNFCCC DI portal
 - * Egypt: BUR1 (2015), combined with data from the UNFCCC DI portal
 - * Eritrea: BUR1 (2018), combined with data from the UNFCCC DI portal
 - * Fiji: NC3 (2006-2011), combined with data from the UNFCCC DI portal
 - * **Gabon:** NIR to BUR1 (1994, 2000, 2005, 2010-2017)
 - * Georgia: NC4 (1990-2017), combined with data from the UNFCCC DI portal
 - * **Ghana:** NIR5 (1990-2018)
 - * Gambia: NC3 (2010), combined with data from the UNFCCC DI portal
 - * Grenada: NC2 (2000-2014), combined with data from the UNFCCC DI portal
 - * **Guatemala:** NC3 (1990, 1994, 2000, 2005, 2010, 2014, 2016), combined with data from the UNFCCC DI portal
 - * Honduras: BUR1 (2005, 2015), combined with data from the UNFCCC DI portal
 - * Indonesia: BUR3 (2019), combined with data from BUR 1 and 2 and the UNFCCC DI

- portal
- * India: BUR3 (2011-2015), combined with data from the UNFCCC DI portal
- * Iran: NC3 (2010), combined with data from the UNFCCC DI portal
- * Israel: BUR2 (1996-2020), combined with data from the UNFCCC DI portal
- * Jordania: NC4 (2017), combined with data from the UNFCCC DI portal
- * **Kyrgyzstan:** BUR1 and NIR (1990-2018)
- * Cambodia: BUR1 (1994-2016)
- * Kuwait: NC2 (2000), combined with data from the UNFCCC DI portal
- * Lao People's Democratic Republic: BUR1 (2014), combined with data from the UNFCCC DI portal
- * Lebanon: BUR4 (2018), NC4 (2019), combined with data from the UNFCCC DI portal
- * Saint Lucia: BUR1 (2000, 2005, 2010, 2014-2018), combined with data from UNFCCC DI portal
- * Lesotho: BUR1 (2011-2017), NC3 (2005-2010), combined with data from the UNFCCC DI portal
- * Morocco: BUR3 (2010, 2012, 2014, 2016, 2018)
- * Republic of Moldova: NC5 (1990-2020)
- * North Macedonia: NIR4 (1990, 2000, 2014-2019), BUR3 (1990, 2000, 2005, 2014-2016), combined with data from BUR2 and the UNFCCC DI portal
- * Montenegro: NIR to BUR3 (1990-2019)
- * Mozambique: New data in the DI interface (2000, 2005, 2010, 2012, 2014, 2016). But sectoral resolution not sufficient for most sectors.
- * Mauritius: BUR1 and NIR (2001-2016), NIR (2000)
- * Malawi: BUR1 (2010), NC3 (1995-1999)
- * Malaysia: BUR4 (1990-2019)
- * Nigeria: BUR2 (2000-2017)
- * Nicaragua: NC3 (2000, 2005, 2010)
- * Panama: BUR2 and NIR (1994-2017)
- * Papua New Guinea: NIR to BUR2 (2000, 2005, 2010-2017)
- * **Peru:** BUR3 (2000, 2005, 2010, 2012, 2014, 2016, 2019)
- * Puerto Rico: BUR3 (2017), combined with data from the UNFCCC DI portal
- * Rwanda: BUR1 (2006-2018)
- * South Korea: 2022 inventory (1990-2020)
- * Saudi Arabia: NC4 (2016), combined with data from the UNFCCC DI portal
- * Singapore: BUR4 (1994, 2000, 2010, 2012, 2014, 2016, 2018)
- * Sierra Leone: NC3 (2005, 2007-2010)
- * El Salvador: BUR1 (2014), combined with data from the UNFCCC DI portal
- * Somalia: BUR1 (2000, 2005, 2010, 2014, 2020)
- * Serbia: NC2 (1990, 2000, 2005, 2010-2014)
- * Sao Tome and Principe: BUR1 (2012, 2016, 2018), combined with data from the UNFCCC DI portal
- * Thailand: BUR4 (2000-2019)
- * Togo: BUR2 (2018), combined with data from BUR1 and the UNFCCC DI portal
- * Tajikistan: BUR1 (2014), combined with data from the UNFCCC DI portal
- * Timor Leste: NC2 (2005-2015)
- * Trinidad: and Tobago NC3 (2006-2018)
- * Tunesia: NC3 (2010, 2012), combined with data from the UNFCCC DI portal
- * Uruguay: BUR2 (1990, 1994, 1998, 2000, 2002, 2004, 2006, 2008, 2010, 2012, 2014), combined with data from the UNFCCC DI portal
- * Uzbekistan: BUR1 (1990, 2000, 2010-2017)
- * Vanuatu: NC3 (2007-2015)
- * Samoa: NC2 (1994-2007)
- * Zambia: BUR1 (1995, 2005, 2010-2016), combined with data from the UNFCCC DI portal
- * **Zimbabwe:** BUR1 (2017), NC4 (1994, 2000, 2006, 2010)
- Statistical Review of World Energy 2023 Data published by the Energy Institute for energy CO₂ have been included (closes issue #63). The data replaced the 2022 version

(published by BP)

- EDGAR v7.0 F-gas data have been included (closes issue #58). The f-gas emissions estimates are very different from older EDGAR versions. For all AnnexI and some non-AnnexI countries country reported data are now used as a basis for EDGAR f-gase emissions. To bring the global bottom up emissions estimates in line with global estimates the remaining emissions (at leasy for HFCs) are split over the remaining countries using their HCFC use as a proxy as HFCs are used to replace HCFCs. This leads to much lower HFC emissions estimates for many AnnexI countries and much higher HFC emissions estimates for a lot of non-AnnexI countries. For more information on the methodology see Olivier (Augst 2022).
- Andrew cement emissions data have been updated to the September 2023 version.
- For some countries sector 3.C.1.a biomass burning in forest land was mapped to the agricultural sector until v2.4.2 because mapping was done on all BURs together and not all countries resolved the 3.C.1 subcategories. We now do the mapping on a per country basis and map 3.C.1.a and 3.C.1.d biomass burning in all other land to the LULUCF sector where possible.
- We now process the non-numerical flags for some additional BURs which leads to some zero time-series which were NaN before and in consequence filled with data from other sources.
- We remove negative data in EDGAR for ${\rm CO_2}$ and ${\rm CH_4}$ in category 1.B.1.

10.3.2 Changes in PRIMAP-hist source creation (v2.5)

10.3.2.1 Methodology changes (v2.5) No changes

10.3.2.2 Data source prioritization (v2.5)

• Replacement with updated version of the data. See Section Changes in data sources and preprocessing (v2.5) above.

10.3.2.3 Sectors and gases (v2.5)

• Gas basket timeseries with AR5 and AR6 GWPs have been added (closes issue #62)

10.3.2.4 Composite source generation methodology (v2.5)

- HFCs show a steep decline in recent years for several AnnexI countries. This has not been modeled by the extrapolation in v2.4.2 and earlier as the period for calculating the trend was too long. We have shortened this period for v2.5 from 15 to 8 years.
- Some further small methodology changes have been implemented to fix issues with extrapolation. See Section Bug fixes and resolved issues (v2.5) below.

10.3.2.5 Special treatment of individual countries (v2.5)

- Special treatments for Andorra, China, Croatia, The Democratic Republic of the Congo, France, India, Latvia, Namibia, Pakistan, and Saudi Arabia are still in place (see Special treatment of individual countries (v2.4)). The special treatment for Iceland has been removed as it is no longer necessary with the new EDGAR f-gas data.
- Albania: The existing special treatment for CO_2 in 2.A and 2.C remains in place. Additionally we extrapolate UNFCCCALL data for 1.B.1, CO_2 to cover 1993 2022 because scaling EDGAR to UNFCCCALL gives huge emissions. The same is done for 1.B.2, N_2O for 1986-2022
- Ghana: We extrapolate UNFCCCALL data for 1.B.2, CO₂ until 2022 because scaling EDGAR to UNFCCCALL gives huge emissions.
- Jamaika: We extrapolate EDGAR data for 1.B.1, CH_4 to cover 1965 2022 because scaling CEDS to EDGAR gives huge emissions.
- Jordan: We extrapolate UNFCCCALL data for 1.B.2, CO₂ to cover 1988 2022 because scaling EDGAR to UNFCCCALL gives huge emissions.
- Latvia: We have added CO₂ to the fix for 2.C (adding CRF data to EDGAR directly to avoid scaling artifacts)
- Myanmar: We remove EDGAR data for CO₂ in 2.B because it has very high fluctuations and is zero for several short periods between non-zero data.
- Nigeria: We extrapolate UNFCCCALL data for 2.C, CO₂ for 5 years into the past because scaling CEDS to EDGAR gives huge emissions.

- Saint Lucia: We extrapolate EDGAR data for 1.B.1, CH₄ to cover 1965 2022 because scaling CEDS to EDGAR gives huge emissions.
- Saint Vincent and the Grenadines: We extrapolate EDGAR data for 1.A, CH₄ to cover 1965 2022 because scaling CEDS to EDGAR gives huge emissions.
- Spain: We extrapolate EDGAR data for 1.B.1, CO₂ until 2022 because scaling CRF to EDGAR gives huge emissions.
- Vanuatu: We extrapolate EDGAR data for 1.B.2, CH₄ to cover 1960 2022 because CEDS data have very high fluctuations and are not consistent with EDGAR data.

10.3.3 Bug fixes and resolved issues (v2.5)

- F-gas baskets were not complete in the old PRIMAP software. A few HFCs were missing in the HFC basket from the f-gas basket additionally NF3 was missing. This impacted a few countries.
- South Africa: 2014 data in energy CO₂ was very low due to an error and has been removed.
- Category 5 ("other") was missing in CRF data in v2.4.2. Only few countries have reported emissions in this category, however many have reported that there are no emission from the sector. Thus the EDGAR timeseries used have been replaced by 0 leading to lower emissions for several Annex I countries. (closes issue #57).
- The issue with SF6 timeseries in the TP scenario has been resolved by the new EDGAR data (closes issue #19).
- Sources for negative emissions in non-LULUCF and non-CCS categories have been removed by removing input data and fixing a bug (closes issue #70).
- Sector 1.C emissions (carbon capture and transport) are now included. (closes issue #61)
- All-zero timeseries were sometimes extended and / or interpolated with non-zero data. This has been fixed.
- Sector 1.B.1, N2O emissions: Extrapolation methods have been changed to fit the short time period covered by EDGAR data for some countries. (advances issue #42)
- The issue of very high extrapolated emissions for some countries in 1.B.1, CH₄ has been fixed by changing the calculation of the trend values used for matching CEDS to the higher priority data sources for 1.B.1. We no longer calculate trend from the years preceding the matching year because these show the steep emissions decline resulting a near zero matching value and consequently a very high initial scaling factor for CEDS. (closes issue #40)
- Fixed a bug leading to missing extrapolation pre 1960/70 for some small countries like Andorra
- Fixed issue with inconsistent UNFCCC reported data for Georgia by including data from the NIR submitted with NC4. (closes issue #55)
- Fixed issue with inconsistent UNFCCC reported data for Palau by removing inconsistent data and data not in line with NC2. (closes issue #54)
- Latvia. A timeseries harmonization problem leading to an emission spike in sector 2.C for CO₂ has been fixed.

10.3.4 Known problems (v2.5)

This listing only contains issues that affect several countries. For individual country issues see also the listing of detailed per country changes the file PRIMAP-hist_v2.5_detailed_CHANGELOG.pdf.

- FAO data for synthetic fertilizers do not cover the full period (1961 2018) for several countries. In the 2020 release data for some countries were removed leading to changed emission estimates. Some time series start later than 1961, while others have gaps. We currently use the summed "Agricultural Soils" data from the FAO emissions total domain. We plan to use detailed FAO data processing in v2.5 again and solve this issue. (issue #22)
- In v2.2 there was a problem with scaling of historical $\rm CO_2$ emissions especially for 1.B.2 and the USA. The new scaling algorithm has alleviated this problem, but it is not completely solved. Countries affected are Belize, Morocco, Mexico, Turkey, USA. (issue #34)
- Process emissions from lime production (2.A.2) are currently not included in the third party priority (TP) scenario, as we use Andrew cement data as a proxy for sector 2.A. To include lime process emissions sub-sector resolution of 2.A would have to be introduced. (issue #38)
- EDGAR data for N_2O , 1.B.1 is very limited for some countries, thus extrapolation generates most of the data for those countries. The main problem is Croatia, however it's not relevant on the level of aggregate emissions. (issue #42)

- For some countries some timeseries start later than 1750, so long range historical data (CEDS etc.) are (partly) missing. This issues has been fixed for most cases, but a few remain. (see issue #56)
- For problems that were found after the release of the dataset, please consult the issue tracker github.com/JGuetschow/PRIMAP-hist. If you encounter a problem please add an issue or contact the authors directly.

10.3.5 Noteworthy changes (v2.5)

Here we only list changes affecting all countries, country groups or several countries. For detailed per country changes please consult the detailed changelog (PRIMAP-hist v2.5 detailed CHANGELOG.pdf).

- Updates of input data are mostly for country reported sources, thus the changes in the country reported (CR) scenario are higher and affect more sectors than the changes in the third party priority scenario (TP).
- In the third party scenario changes in 2021 are limited to energy CO₂, cement CO₂ and f-gases for most countries. Only for these sectors / gases input data have been updated. Few countries have changes in other sectors, either because bugs with e.g. harmonization of lower priority data sources have been fixed, or because there are no data for a certain sector / gas combination such that country reported data are used. Changes in cumulative emissions are low for most countries except for f-gases where a major change in the methodology used by EDGAR has shifted HFC emissions from AnnexI countries to non-AnnexI countries. BP2022 had a 22% decrease for energy CO2 emissions in the "other europe" region for 2021. This has been corrected and affects several smaller european countries. Other countries and regions have seen adjustments of 2021 growth rates as well.
- For the country reported priority scenario we distinguish between AnnexI and non-AnnexI countries
 - AnnexI countries have regular reporting requirements leading to good data coverage and mostly only small changes to existing data. As 2021 data was not taken from CRF in v2.4.2 but extended from CRF data for 2020 using growth rates from third party sources like BP, EDGAR 7.0, and Andrew we have changes for 2021 for many countries, sectors, and gases which are mostly below 2%, but for 7 countries in the range of 2%-5% and for 3 countries in the 5%-10% range. Changes for cumulative emissions are small (no country above 2% for M.0.EL KyotoGHG emissions). High changes are common for HFCs as HFC emissions are steeply declining for many AnnexI countries in the last few years. This decline was not modeled by the numerical extrapolation used in v2.4.2 as the period for calculating the trend was significantly longer than the period of emissions decline. We have now shortened the trend period for HFCs to avoid this problem in the future.
 - For many non-AnnexI countries we have included new country reported data. As reporting requirements are lower for non-Annex countries and reports are less frequent and have more methodological freedom, data for the same countries from different reports can have high differences. This not only leads to challenges regarding consistency when combining data from different reports, but also to high changes in emissions between reports for several developing countries. Some developing countries report in a very structured way and data are similarly structured and consistent among reports as AnnexI country data. But for many other countries we have very high changes for several gases and sectors for both 2021 and cumulative emissions. As f-gases are often not included in country reports the changes in EDGAR f-gas data also play a role for the country reported scenario.

10.4 v2.4.2 (March 2023)

The v2.4.2 release is a minor bugfix release with no new input data and no changes to methods except for a bugfix affecting source harmonization in special cases.

10.4.1 Changes in PRIMAP-hist source creation (v2.4.2)

No changes

10.4.2 Changes in data sources and preprocessing (v2.4.2)

No changes

10.4.3 Bug fixes and resolved issues (v2.4.2)

v2.4.2 fixed a bug in the generation of the composite source which influenced the harmonization of lower priority sources in some cases including accidental discarding of the last data point of the higher priority source. The bug influenced 2020 and 2021 emissions for Annex I countries and longer periods for non-Annex I countries. For most countries the influence is very small and not noteworthy, but for some country-sectors-gas timeseries with high fluctuations / changes in growth rates the influence is higher. The bug has been introduced in v2.4. We list the changes below.

10.4.4 Known problems (v2.4.2)

see Known problems (v2.4.1) below

10.4.5 Noteworthy changes (v2.4.2)

Here, we list the most important changes in total and per sector / per gas emissions and their reasons. We limit our analysis to the period of 1990 - 2021 here. The analysis is based on category M.0.EL, and the Kyoto GHG basket using AR4 GWPs. Additionally we look at changes in the last years as these were affected by the bug that this release corrects.

10.4.5.1 Notable changes in total Kyoto GHG (AR4) emissions (1990 - 2021) (v2.4.2)

- Changes of 20-50% in cumulative emissions None
- Changes of 10-20% in cumulative emissions None
- Changes of 5-10% in cumulative emissions
 - Bosnia and Herzegovina (CR): In sector 1.A, CO₂ the last year of data in the UNFCCCDI dataset was not used. As the trend is opposite to the trend in CDIAC, the next priority source, the inclusion of the datapoint in v2.4.2 has high influence on resulting emissions past 2013 in that sector.
- 10.4.5.2 Changes for individual years and sectors (v2.4.2) The bug that was fixed with the release affected only few years in most cases and thus the changes in emissions are not included in the listing above. We discuss the most prominent changes here:
 - For 2015 the only country with a M.0.EL Kyoto GHG change of over 1.5% is **Bosnia and Herzegovina** (15%) (see above).
 - For 2020 we have 4 countries with changes of over 10%.
 - Namibia (CR, TP),
 - Greece (CR): Growth rates for energy CO₂ are different in CRF2022 and BP2022 data for 2019-2020 (higher reductions in BP than in CRF, thus corrected emissions are higher than emissions in v2.4.1).
 - Bosnia and Herzegovina (CR): see above
 - Fiji (CR, TP). 2016-2017 growth rate in CDIAC is much lower than in BP. CDIAC 2017 data point was not used in v2.4.1 (BP data was used instead), thus emissions were higher in v2.4.1 than in v2.4.2.
 - 10 countries have 2020 changes between 5 and 10%: Botswana (CR, TP in M.AG), Denmark (CR in 1, 2, 5), Estonia (CR in 1, 2, 5), Iceland (CR in 1, 2), Malaysia (CR in 1, 2, M.AG), Namibia (CR in M.AG), Papua New Guinea (CR, TP in 1), Qatar (CR, TP in 1), South Sudan (CR, TP in M.AG), Ukraine (CR in 1, 4), and South Africa (CR in 1, 2, M.AG).
 - Changes in 2021 emissions are similar to changes in 2020 emissions. For details we refer to the file changes_PRIMAP-hist_v2.4.2_to_v2.4.1.xlsx available with the dataset.

10.5 v2.4.1 (February 2023)

The v2.4.1 release updates mainly third party data. Time series are not extended and cover 1750 to 2021. UNFCCC CRF data and data from the DI interface have been updated, however the changes are minor. In the third party data category FAOSTAT has been updated to the 2022 release (Food and Agriculture Organization of the United Nations (2023)) and EDGAR has been updated to v7.0 (JRC (2022)). There have been no updates to data processing.

10.5.1 Changes in PRIMAP-hist source creation (v2.4.1)

10.5.1.1 Methodology changes (v2.4.1) No changes

10.5.1.2 Data source prioritization (v2.4.1)

• Replacement with updated version of the data.

10.5.1.3 Sectors and gases (v2.4.1) No changes

10.5.1.4 Composite source generation methodology (v2.4.1) No changes

10.5.1.5 Special treatment of individual countries (v2.4.1)

• Special treatments for Albania, Andorra, China, Croatia, The Democratic Republic of the Congo, France, Iceland, India, Latvia, Namibia, Pakistan, and Saudi Arabia are still in place (see Special treatment of individual countries (v2.4)).

10.5.2 Changes in data sources and preprocessing (v2.4.1)

10.5.2.1 Input source updates (v2.4.1)

- CRF data have been updated to incorporate the 2022 submissions until Jan 23, 2023 with the final 2021 submissions as backup to fill potentially missing 2022 data. The last data year is now 2020 for all categories and gases. Updates vs the 2022 data used in v2.4 (2023.09.26) are: Croatia, Liechtenstein, Luxembourg, Poland, Portugal, Romania, Slovakia, and Slovenia. Changes are mostly for individual sectors and years and only have a small effect on aggregate emissions.
- UNFCCC "Detailed Data by Party" has been updated to data available by Jan 23, 2022 (no changes since Oct 2022). Since the version used in PRIMAP-hist v2.4 (Pflüger and Gütschow (2022)) we have the following changes:
 - Bahamas: Waste CH₄ data point in 2000 with very high emissions has been changed. Emissions are now lower.
 - Chad has added data
 - Dominican Republic: Added single data point timeseries which are 0. No effect on PRIMAP-hist
 - Georgia: corrected data
 - Indonesia: Added a single data point timeseries which is 0. No effect on PRIMAP-hist
 - Israel: Data for some agricultural sectors has been removed.
 - Moldova: added data but just timeseries which are 0
 - Pakistan: Added to may sector/gas combinations but the data is not sufficient to be used in PRIMAP-hist as it covers only 2015.
 - Sri Lanka: Adjusted 1994 data for some categories and gases. No effect on PRIMAP-hist as the data is currently not used.
- EDGAR: Version 7.0 of the EDGAR dataset now covers 1970 2021. Data for the latest years are based on a "fast-track" approach which in the case of energy CO₂ is the extension of emissions with energy CO₂ growth rates from BP (the same approach taken in PRIMAP-hist). For other sectors proxy data and numerical methods are used. For non-CO₂ the methodology has not been published yet. Emissions estimates for several countries and sector/gas combinations have changed, however for most sectors not in a systematical way but on a per country, sector and gas level (sometimes changes for countries in the same region are similar). Where these changes impact aggregate emissions we describe them in the Noteworthy changes (v2.4.1) section below.
- FAOSTAT: Most timeseries are extensions of last years data. However, a few sector / gas combinations have systematical changes. 3.A.2 for N_2O is systematically higher than in previous FAOSTAT releases. The agricultural sector as a whole however is unchanged for many countries and the higher emissions in 3.A.2 are contrasted by lower emissions in 3.C(4/5). Thus these changes are likely due to a reassignment of sector to emissions from some manure related activity. Other changes affect only individual countries. Where these changes impact aggregate emissions we describe them in the Noteworthy changes (v2.4.1) section below.

10.5.2.2 Changes in preprocessing (v2.4.1) No changes

10.5.3 Bug fixes and resolved issues (v2.4.1)

10.5.4 Known problems (v2.4.1)

- SF₆ emissions in the TP time series are too low for some countries. This issue has only partly been fixed. The inclusion of sector 2.F.8.b has decreased emissions for some countries as EDGAR v4.2 is scaled to match v4.2 FT2010 if it is present, and for those countries 2.F.8.b is the only sector with data in v4.2 FT 2010. For Iceland the 2.F.8.b data are clearly wrong and several orders of magnitude too high. (issue #19)
- FAO data for synthetic fertilizers do not cover the full period (1961 2018) for several countries. In the 2020 release data for some countries were removed leading to changed emission estimates. Some time series start later than 1961, while others have gaps. We currently use the summed "Agricultural Soils" data from the FAO emissions total domain. We plan to use detailed FAO data processing in v2.5 again and solve this issue. (issue #22)
- In v2.2 there was a problem with scaling of historical CO₂ emissions especially for 1.B.2 and the USA. The new scaling algorithm has alleviated this problem, but it is not completely solved. Countries affected are Belize, Morocco, Mexico, Turkey, USA. (issue #34)
- Process emissions from lime production (2.A.2) are currently not included in the third party priority (TP) scenario, as we use Andrew cement data as a proxy for sector 2.A. To include lime process emissions sub-sector resolution of 2.A would have to be introduced. (issue #38)
- Despite the new algorithm for scaling of early emissions data to the more recent sources described in Methodology changes (v2.3) the scaling of CEDS data is in some cases problematic e.g. when the CEDS data shows a strongly decreasing trend before the matching year (see e.g. Saint Lucia CH₄ in 1.B.1). (issue #40)
- EDGAR data for N₂O, 1.B.1 is very limited for some countries, thus extrapolation generates most of the data for those countries. The main problem is Croatia, however it's not relevant on the level of aggregate emissions. (issue #42)
- Burkina Faso (CR time series): 0 value in UNFCCCDI for 1.A, CH₄ lead to very low emssion. Other values for that year don't fit the rest of the time series either. (see issue #53)
- Palau (CR timeseries): UNFCCC data for M.AG.ELV, CH₄ has a very high peak. Investigate the source of the data to check if it is correct. (see issue #54)
- Georgia (CR, TP timeseries): Datapoints added in UNFCCC DI data for waste CH₄, N₂O, Other CO₂, N₂O, which are very low. Investigate the source of the data to check if it is correct. (see issue #55)
- For some countries some timeseries start later than 1750, so long range historical data (CEDS etc.) are (partly) missing. This is the case for small countries, e.g. Andorra, Monaco (CO₂, different sectors). (see issue #56)
- For Azerbaijan, HFC emissions drop to almost 0 in 2013 in the UNFCCC DI data. The data used in PRIMAP-hist are consistent with the data in the UNFCCC DI portal. Check if there is a GWP error in the 2013 data in the DI portal. 2013 values for some other sectors / gases also deviate from the trend of the other data points. (see issue #53)
- The "Other" sector is missing in the CRF data available in the UNFCCC_non-AnnexI _data repository. This affects Switzerland and New Zealand. (see issue #53)
- For problems that were found after the release of the dataset, please consult the issue tracker github.com/JGuetschow/PRIMAP-hist. If you encounter a problem please add an issue or contact the authors directly.

10.5.5 Noteworthy changes (v2.4.1)

Here, we list the most important changes in total and per sector / per gas emissions and their reasons. We limit our analysis to the period of 1990 - 2021 here. The analysis is based on category M.0.EL, and the Kyoto GHG basket using AR4 GWPs.

10.5.5.1 Notable changes in total Kyoto GHG (AR4) emissions (1990 - 2021) (v2.4.1)

- Changes of 20-50% in cumulative emissions
 - CHAD (CR): The new UNFCCCDI data that are available for the agricultural sector are much lower than the FAO data used before.
 - Timor-Leste (CR, TP): EDGAR v7.0 data differ from EDGAR 6.0 for recent years in sector 1.B.2 which is a major sector for Timor-Leste.

• Changes of 10-20% in cumulative emissions

- Saint Helena, Ascension, and Tristan da Cunha (CR, TP): EDGAR v7.0 and current FAOSTAT data contain no agricultural data for Saint Helena, Ascension, and Tristan da Cunha. As there are no country reported data there is no AFOLU data for Saint Helena, Ascension, and Tristan da Cunha in PRIMAP-hist v2.4.1.

• Changes of 5-10% in cumulative emissions

- Ghana (CR, TP): The new EDGAR data has considerably increased estimates for fugitive
 emissions in the latest years for all gases leading to strong increases in M.0.EL KyotoGHG
 emission estimates for the latest years.
- Haiti (TP): EDGAR 6.0 data for 1.B.1 was much lower before 2005 than after 2005. In v7.0 the data before 2005 are similar to the data after 2005 and in consequence the emissions in PRIMAP-hist (TP) are higher before 2005 as well. CH₄ and N₂O are affected.
- Papua New Guinea (CR, TP): Updated EDGAR fugitive emissions (1.B.2) are much lower for recent years than emissions in EDGAR 6.0, leading to overall lower emissions in recent years in PRIMAP-hist v2.4.1.
- Sierra Leone (CR, TP): The updated FAO data are lower for category 3.C.1, leading to lower agricultural emissions in PRIMAP-hist v2.4.1; The new EDGAR data have adjusted estimates for recent years and lowered emissions estimates in 1.A for CO₂. As we don't have country reported data for Sierra Leone, this affects the CR and TP time series equally.
- Vanuatu (CR, TP): FAO emissions data have been corrected downwards for recent years. As we don't have country reported data for Vanuatu this affects the CR and TP timeseries equally.

10.6 v2.4 (October 2022)

The v2.4 release updates mainly country reported data and extends the time series by two years to 2021. New and updated input data sources are UNFCCC data for AnnexI and non-AnnexI data, BP data (British Petroleum (2022)), and cement process emissions data (Andrew (2022)). UNFCCC data are now read from xlsx and pdf files using the new PRIMAP2 software (https://github.com/pik-primap/primap2) which enable processing of non-numerical flags and enables a more precise treatment of sectors where no data are reported (see Changes in preprocessing (v2.4)).

10.6.1 Changes in PRIMAP-hist source creation (v2.4)

10.6.1.1 Methodology changes (v2.4) No changes

10.6.1.2 Data source prioritization (v2.4)

- We now use BP data also for flaring emissions.
- Replacement with updated version of the data.

10.6.1.3 Sectors and gases (v2.4) No changes

10.6.1.4 Composite source generation methodology (v2.4)

- Two changes have been introduced in the combination of sources regarding zero data. They were necessary because the new processing of non-numerical flags in the UNFCCC data produced a lot of all-zero time series.
 - If a time series is zero at the boundary but a lower priority time series is non-zero the time series will be completed with zero instead of the non-zero data from the lower priority time series. This is also used for extrpolation with the long-term historical timeseries (CEDS, RCP, EDGAR-HYDE)
 - If time-series is non-zero as the boundary but a lower priority time series which should be used to extend it is all zero the lower priority time series will not be used.

10.6.1.5 Special treatment of individual countries (v2.4)

• Latvia: Scaling of CRF data to EDGAR data for CH₄, 2.C gives huge emissions as CRF is near zero in scaling year 2013. We use unscaled CRF data for 2014 - 2020 (TP time series).

- Pakistan: Scaling EDGAR data to BP data for CO₂, 1.B.2 gives huge emissions. We use unscaled 2002 - 2011 EDGAR values (TP time series).
- Special treatments for Albania, Andorra, China, Croatia, The Democratic Republic of the Congo, France, Icenad, India, Namibia, and Saudi Arabia are still in place (see Special treatment of individual countries (v2.3.1)).

10.6.2 Changes in data sources and preprocessing (v2.4)

10.6.2.1 Input source updates (v2.4)

- CRF data have been updated to incorporate the 2022 submissions until Sep 27, 2022 with the final 2021 submissions as backup to fill potentially missing 2021 data. The last data year is now 2020 for all categories and gases. Only one country has changes in overall emissions of over 2%: Belarus.
- Data from the Biennial Update Reports (BURs, UNFCCC (2022)) have been updated. We have added the fourth BURs from Argentina and South Africa (2017 data only); third BURs from Colombia, Indonesia (2019 data only), Mexico (2019 data only), Montenegro, Morocco, and Thailand (2019 data only). In total, countries included in our BUR data are
 - first BUR: Indonesia, Montenegro, Mongolia, Mauritania, Oman, and Togo
 - second BUR: Andorra, Argentina, Colombia, Indonesia, Macedonia, Mauritania, Mexico, Moldova, Montenegro, Morocco, Namibia, and South Africa
 - third BUR: Argentina, Andorra, Colombia, Indonesia (2019 data only), Malaysia, Mexico (2019 data only), Montenegro, Morocco, Namibia, South Africa (2015 data only), Thailand (2019 data only), and Viet Nam
 - fourth BUR: Argentina, Chile, Namibia, Singapore, South Africa (2017 data only)
 - BUR data from countries reporting in IPCC1996 categories are included via the UNFCCC detailed data by party interface (see below).
- UNFCCC "Detailed Data by Party" has been updated to data available by Oct 10, 2022 (Pflüger and Gütschow (2022)): since the version used in PRIMAP-hist v2.3.1 we have the following changes:
 - Bahamas has updated data for year 2000.
 - Burkina Faso has added data for 2007-2017 for most sectors and gases.
 - Georigia has updated data for 1990 and 2017.
 - India has slightly updated data for 2010 and 2016 (some data points were updated and some missing sectors were added).
 - Israel has added data for 2019 and adjusted data for earlier years.
 - Jordan has added data for 2000 and 2016.
 - Republic of Korea has added data for 2017 and 2018.
 - Paraguay has added data for 2017.
 - Sri Lanka has slightly updated data for 1994. Some data points have been removed (e.g. $\mathrm{CH_4}$, category 2, 2000)
 - Togo has updated data for 2000, 2005 and added data for 2010-2018 (KYOTOGHG only).
 Other time series were removed completely.
 - Uruguay has added data for 2019 and updated data for earlier years in several sectors
 - Due to processing of non-numerical flags, data for several sectors are now explicitly 0 instead of missing for the following countries: Afghanistan, Albania, Armenia, Azerbaijan, Bhutan, Chile, China, Cote d'Ivore, Cuba, Dominica, Dominican Republic, Ecuador, Eritrea, Guinea-Bissau, Guyana, Honduras, Jamaica, Lebanon, Liberia, Maldives, Marshall Islands, Moldova, Mongolia, Nauru, Palau, Palestinian Territory, Saint Vincent and the Grenadines, San Marino, Sao Tome and Principe, Solomon Islands, Timor-Leste, Tuvalu, Uganda, Rwanda, Uzbekistan, Vanuatu, Viet Nam. These additions are in the raw data, preprocessing removes some data. For changes in preprocessed data see section [Changes in preprocessing v2.4] below.
- BP fossil CO₂ data have been updated to the 2022 release (British Petroleum (2022)), last used data year is 2021.
 - 2019 data has been updated for several countries.
- Cement process CO_2 emissions data have been updated from v210723 used in PRIMAP-hist v2.3.1 to v220919 (Andrew (2022)).
- We have updated some country reported data that are not (yet) officially submitted to the UNFCCC. These are:
 - 2021 inventory for South Korea (Republic of Korea (2021)): Official South Korea national inventory which has not (yet) been shmitted to the UNFCCC.

2022 inventory report for Taiwan (Republic of China - Environmental Protection Administration (2022)). As Taiwan is not a member of the UNFCCC this data can not become official UNFCCC data, but as it is officially reported by the Taiwanese government we treat it as country reported data.

10.6.2.2 Changes in preprocessing (v2.4)

- All UNFCCC data (CRF, BUR, NIR, DI interface) is now read using PRIMAP2 which enables a detailed treatment of flags like "NE", "IE" etc. We map flags that indicate data are included in other sectors or the sector does not exist for the country (e.g. "IE", "NA") to 0 to indicate that there should be no non-zero data while we map flags indicating data are missing (e.g. "NE") to NaN to enable filling these gaps from other sources. This has altered the emissions estimates for several countries, especially smaller countries which do not have all types of industries. Despite the changes on subsector level the impacts on overall Kyoto GHG emissions are small. In consequence
 - This mostly affect AnnexI countries, but also some non-AnnexI countries, e.g. South Korea
 - This mostly affects small countries (e.g. Moncao) as they are more likely to not have certain sectors (ususally industrial sectors, but for Monaco actually agriculture).
 - Sector 1.B.1 (fugitive emissions from solid fuels), CH₄ is zero for many countries now
 - Agriculture excluding livestock (M.AG.ELV), CH₄ is zero for several countries now.
 - For several countries IPPU subsectors (2.X) are zero for the whole period or just some years (esp 2.B). All gases are affected.
 - NF₃ time series now often start explicitly with 0. For these countries historical extrapolation is now also 0.

10.6.3 Bug fixes and resolved issues (v2.4)

- For some countries (at least Taiwan) the extrapolation of energy CO₂ data gave a result not in line with the BP growth rates (issue #49). Fixed now.
- We now process non-numerical flags in country reported data. This closes issue #45 and issue #43

10.6.4 Known problems (v2.4)

- SF₆ emissions in the TP time series are too low for some countries. This issue has only partly been fixed. The inclusion of sector 2.F.8.b has decreased emissions for some countries as EDGAR v4.2 is scaled to match v4.2 FT2010 if it is present, and for those countries 2.F.8.b is the only sector with data in v4.2 FT 2010. For Iceland the 2.F.8.b data are clearly wrong and several orders of magnitude too high. (issue #19)
- FAO data for synthetic fertilizers do not cover the full period (1961 2018) for several countries. In the 2020 release data for some countries were removed leading to changed emission estimates. Some time series start later than 1961, while others have gaps. As data are summed with other sectors before use in PRIMAP-hist the gaps and boundaries are not filled with data from other sources. (issue #22)
- In v2.2 there was a problem with scaling of historical CO₂ emissions especially for 1.B.2 and the USA. The new scaling algorithm has alleviated this problem, but it is not completely solved. Countries affected are Belize, Morocco, Mexico, Turkey, USA. (issue #34)
- Process emissions from lime production (2.A.2) are currently not included in the third party priority (TP) scenario, as we use Andrew cement data as a proxy for sector 2.A. To include lime process emissions sub-sector resolution of 2.A would have to be introduced. (issue #38)
- Despite the new algorithm for scaling of early emissions data to the more recent sources described in Methodology changes (v2.3) the scaling of CEDS data is in some cases problematic e.g. when the CEDS data shows a strongly decreasing trend before the matching year (see e.g. Saint Lucia CH₄ in 1.B.1). (issue #40)
- EDGAR data for N₂O, 1.B.1 is very limited for some countries, thus extrapolation generates most of the data for those countries. The main problem is Croatia, however it's not relevant on the level of aggregate emissions. (issue #42)
- Burkina Faso (CR time series): 0 value in UNFCCCDI for 1.A, CH₄ lead to very low emissions. Other values for that year don't fit the rest of the time series either. (see issue #53)

- Palau (CR timeseries): UNFCCC data for M.AG.ELV, CH₄ has a very high peak. Investigate the source of the data to check if it is correct. (see issue #54)
- Georgia (CR, TP timeseries): Datapoints added in UNFCCC DI data for waste CH₄, N₂O, Other CO₂, N₂O, which are very low. Investigate the source of the data to check if it is correct. (see issue #55)
- For some countries some timeseries start later than 1750, so long range historical data (CEDS etc.) are (partly) missing. This is the case for small countries, e.g. Andorra, Monaco (CO₂, different sectors). (see issue #56)
- For Azerbaijan, HFC emissions drop to almost 0 in 2013 in the UNFCCC DI data. The data used in PRIMAP-hist are consistent with the data in the UNFCCC DI portal. Check if there is a GWP error in the 2013 data in the DI portal. 2013 values for some other sectors / gases also deviate from the trend of the other data points. (see issue #53)
- The "Other" sector is missing in the CRF data available in the UNFCCC_non-AnnexI _data repository. This affects Switzerland and New Zealand. (see issue #53)
- For problems that were found after the release of the dataset, please consult the issue tracker github.com/JGuetschow/PRIMAP-hist. If you encounter a problem please add an issue or contact the authors directly.

10.6.5 Noteworthy changes (v2.4)

Here, we list the most important changes in total and per sector / per gas emissions and their reasons. We limit our analysis to the period of 1990 - 2021 here. The analysis is based on category M.0.EL, and the Kyoto GHG basket using AR4 GWPs.

10.6.5.1 Notable changes in total Kyoto GHG (AR4) emissions (1990 - 2021) (v2.4)

- Changes of 20-50% in cumulative emissions
 - Burkina Faso (CR): 0 value in UNFCCCDI for 1.A, CH₄ lead to very low emssion. Other values for that year don't fit the rest of the time series either. (see issue #53)
 - Monaco (CR): Large drop in emissions estimates due to updated CRF processing. 1.B.1, CH₄ is now 0 (CRF processing). high impact on category 1 CH₄ emissions. similar for 2.B, 2.C, 3.A. CH₄ now only a fraction of v2.3.1 emissions. For CO₂ 2.A, 2.B, 2.C are affected. All agricultural emissions now 0; N₂O now 0 for 2.B; PFCs much lower as 0 in first years and extrap with 0
 - Palau (CR) UNFCCC data for M.AG.ELV, CH₄ has a very high peak. No other changes.
 Investigate the source of the data to check if it is correct. (see issue #54)
- Changes of 10-20% in cumulative emissions
 - Azerbaijan (TP): BP flaring CO₂ emissions (1.B.2) are much higher than EDGAR which
 was used before. F-gases drop to 0 in DI data
 - Estonia (CR): Several changes in subsectors / gases. Most important change is that 1.B
 CO₂ is now 0 (CRF processing) other changes are: CH₄ in 2, 2.C, now 0 (CRF processing);
 1.A, N₂O lower (CRF update);
 3.A, M.AG.ELV, N₂O lower (CRF update)
 - Montenegro (CR, TP 2-5%): New BUR with updated emission estimates in several sectors
- Changes of 5-10% in cumulative emissions
 - Georgia (CR, TP): Datapoints added in UNFCCC DI data for waste CH₄, N₂O, Other CO₂, N₂O, which are very low. Investigate the source of the data to check if it is correct. (see issue #55)
 - Morocco (CR): New BUR with changed emissions estimates in several sectors.
- Changes of 2-5% in cumulative emissions
 - Colombia (CR): New BUR with changed emissions estimates in several sectors.
 - Libya (CR, TP): BP now used for 1.B.2, Andrew cement data updated.
 - Macao (CR, TP): Changes in data processing led to differences in gap filling in 2.A
 - Oman (CR, TP): BP now used for 1.B.2
 - Paraguy (CR): New and updated UNFCCC DI data with changes in several sectors.
 - Russia (CR, TP)Smaller changes in several sectors due to updated CRF data and the CRF data processing changes.
 - Syria (CR, TP): BP now used for 1.B.2
 - Turkmenistan (CR): BP now used for 1.B.2 (same changes in TP time series, but below 2% chenge in cumulative KYOTOGHG emissions)

- Trinidad and Tobago (CR, TP): BP now used for 1.B.2

10.7 v2.3.1 (September 2021)

The v2.3.1 release is a minor bugfix update of the v2.3 version. The only new data source included is updated cement process emissions data (Andrew (2021)).

10.7.1 Changes in PRIMAP-hist source creation (v2.3.1)

- 10.7.1.1 Methodology changes (v2.3.1) No changes
- 10.7.1.2 Data source prioritization (v2.3.1) No changes
- 10.7.1.3 Sectors and gases (v2.3.1) No changes
- 10.7.1.4 Composite source generation methodology (v2.3.1) No changes

10.7.1.5 Special treatment of individual countries (v2.3.1)

- Iceland: SF₆ emissions from EDGAR v4.2 are several orders of magnitude too high and thus removed.
- Saudi Arabia: Scaling of UNFCCC data to EDGAR in category 2.C, CO₂ leads to very high emissions in recent years. To avoid this scaling artifact UNFCCC data are extrapolated linearly.
- Special treatments for Albania, Andorra, China, Croatia, the Democratic Republic of the Congo, France, India, and Namibia are still in place (see Special treatment of individual countries (v2.3)).

10.7.2 Changes in data sources and preprocessing (v2.3.1)

10.7.2.1 Input source updates (v2.3.1)

• Cement process CO_2 emissions data have been updated from v210505 used in PRIMAP-hist v2.3 to v210723.

10.7.2.2 Changes in preprocessing (v2.3.1)

• Andrew cement data does not contain the -9999 values any more since v210505 which were mapped to NaN. We now also treat the zero only timeseries as 0 and not as NaN. This change is effective since PRIMAP-hist v2.3 but was missing in the v2.3 CHANGELOG.

10.7.3 Bug fixes and resolved issues (v2.3.1)

- Georgia: UNFCCC data are wrong for waste and LULUCF CH₄, in 1990 and 2017. GWP is applied in the inventory table but the unit given suggests data are in native units (as it actually is for all other sectors). (issue #39)
- Missing countries in CEDS: Some small countries are missing in CEDS and currently lack early
 emissions data for CO₂ and CH₄ in some sectors. The issue has been fixed using growth rates of
 the RC10 regions containing these countries. Countries affected are Anguilla, Andorra, Antarctica,
 Monaco, Nauru, Saint Helena, Ascension and Tristan da Cunha, San Marino, Tuvalu, and Vatican
 City State. (issue #41)
- EDGAR v4.2 data for Iceland has been removed. Sector 2.F.8.b data are several orders of magnitude too high. (issue #19)
- Error in Taiwanese country reported data has been fixed. Some time series we contained twice in the csv data file and included twice in sectors sums. This has been fixed.
- A bug in BUR data processing for f-gases has been fixed and now Montenegro's BUR HFC emissions are used.
- Saudi Arabia's CO_2 emissions from sector 2.C have been fixed. EDGAR data are now extrapolated to avoid scaling artifacts. (issue #46)

10.7.4 Known problems (v2.3.1)

- SF₆ emissions in the TP time series are too low for some countries. This issue has only partly been fixed. The inclusion of sector 2.F.8.b has decreased emissions for some countries as EDGAR v4.2 is scaled to match v4.2 FT2010 if it is present, and for those countries 2.F.8.b is the only sector with data in v4.2 FT 2010. For Iceland the 2.F.8.b data are clearly wrong and several orders of magnitude too high. (issue #19)
- FAO data for synthetic fertilizers do not cover the full period (1961 2018) for several countries. In the 2020 release data for some countries were removed leading to changed emission estimates. Some time series start later than 1961, while others have gaps. As data are summed with other sectors before use in PRIMAP-hist the gaps and boundaries are not filled with data from other sources. (issue #22)
- In v2.2 there was a problem with scaling of historical CO₂ emissions especially for 1.B.2 and the USA. The new scaling algorithm has alleviated this problem, but it is not completely solved. Countries affected are Belize, Morocco, Mexico, Turkey, USA. (issue #34)
- Process emissions from lime production (2.A.2) are currently not included in the third party priority (TP) scenario, as we use Andrew cement data as a proxy for sector 2.A. To include lime process emissions sub-sector resolution of 2.A would have to be introduced. (issue #38)
- Despite the new algorithm for scaling of early emissions data to the more recent sources described in Methodology changes (v2.3) the scaling of CEDS data is in some cases problematic e.g. when the CEDS data shows a strongly decreasing trend before the matching year (see e.g. Saint Lucia CH₄ in 1.B.1). (issue #40)
- EDGAR data for N₂O, 1.B.1 is very limited for some countries, thus extrapolation generates most of the data for those countries. The main problem is Croatia, however it's not relevant on the level of aggregate emissions. (issue #42)
- For problems that were found after the release of the dataset, please consult the issue tracker github.com/JGuetschow/PRIMAP-hist. If you encounter a problem please add an issue or contact the authors directly.

10.7.5 Noteworthy changes (v2.3.1)

Here, we list the most important changes in total and per sector / per gas emissions and their reasons. We limit our analysis to the period of 1990 - 2019 here. The analysis is based on category M.0.EL, and the Kyoto GHG basket using AR4 GWPs.

10.7.5.1 Notable changes in total Kyoto GHG emissions (1990 - 2019) (v2.3.1)

- Countries removed
 - Curacao (CR and TP): Curacao was included in v2.3 as an individual country. Due to the very limited data we now again include Curacao only as part of the former Netherlands Antilles.
- Changes of 50-100% in cumulative emissions
 - **Iceland** (TP only): EDGAR 4.2FT2010 SF₆ Emissions for sector 2.F.8.b have been removed (see Bug fixes and resolved issues (v2.3.1) section).
- Changes of 20-50% in cumulative emissions
 - **Georgia** (CR only): The bug from v2.3 has been fixed. See Bug fixes and resolved issues (v2.3.1) section.
 - Taiwan (CR only): The bug from v2.3 has been fixed. See Bug fixes and resolved issues (v2.3.1) section.

10.7.5.2 Changes for individual categories / gases (v2.3.1)

- The updated cement process emissions data (Andrew (2021)) have changed emissions estimates in sector 2.A for several countries.
- When including the full range of years we also have noteworthy changes for the countries which are not included in CEDS an had missing data in v2.3.

10.8 v2.3 (July/August 2021)

The v2.3 release is an update of the v2.2 version. The methodology is mainly unchanged, but the input sources have been updated where available and CEDS (Hoesly et al. (2020)) has been added as emissions source for pre-1960/70 historical data replacing RCP and EDGAR-HYDE for CH₄ and CO₂. The time series now start in 1750 instead of 1850. Additionally, some bugs have been fixed.

10.8.1 Changes in PRIMAP-hist source creation (v2.3)

10.8.1.1 Methodology changes (v2.3)

- For extrapolation of CH₄ and CO₂ data we now use CEDS data (Hoesly et al. (2020)).
- The dataset now begins in 1750 instead of 1850. For several sectors and gases this means no change
 in cumulative emissions as emissions in 1850 were zero because the relevant emissions sources did
 not exist yet.
 - F-gase are 0 in 1850 and thus are extended using 0.
 - For N₂O, which is not included in the CEDS dataset, we use EDGARHYDE and RCP back until 1850 and a sector specific approach for 1750 - 1849:
 - * Category 2 and subsectors are 0 in 1850 and thus extrapolated with 0 for all gases.
 - * Category 1 and subsectors are extrapolated using CO₂ emissions data as a proxy
 - * Categories 3.A (Livestock) 3.MAG.ELV (Agriculture excluding livestock), and 4 (Waste) are extrapolated using CH₄ emissions growth rates as a proxy.
 - For all gases LULUCF emissions are extrapolated such that they reach 0 in 1750. As large scale deforestation took place in the now industrialized countries in this time frame, proper data would be a valuable improvement.
- For consistency of cumulative emissions with CEDS we do not use just the growth rates of CEDS to extend the near term data, but use a transition period of 25 years where emissions are scaled from the near term value to the CEDS value (technically CEDS data are scaled with a scaling factor that approaches 1 linearly within 25 years). This is especially important for sectors where CEDS shows higher emissions in the early 20th century than in ~1970 where the scaling to recent data takes place (e.g. 2.C Metal industry). In cases where CEDS emissions are much higher than the more recent emissions this scaling is clearly visible, but we prefer this over large changes in historical emissions due to unlimited scaling.

10.8.1.2 Data source prioritization (v2.3)

• No changes except the inclusion of CEDS data described above and replacement of data sources through updated versions (see section Input source updates (v2.3) below)

10.8.1.3 Sectors and gases (v2.3) No changes

10.8.1.4 Composite source generation methodology (v2.3) No changes

10.8.1.5 Special treatment of individual countries (v2.3)

- France and Croatia: Special treatment for sector 1.B.2 and gases N₂O and CO₂. Scaling of EDGAR v6.0 data to CRF would give huge emissions. We use linear extrapolation of CRF data for 1980 2000.
- India: Emissions for f-gases in UNFCCC data are very low for 2010. This leads to scaling issues. We replace the data by NaN to use alternative sources.
- Namibia: According to Robbie Andrew cement production has only started in 2011 in Namibia.
 Thus CDIAC cement emissions before 2011 are not realistic and we add 0 explicitly in the Andrew
 dataset. BUR data for 2.A is non-zero. As 2.A contains not only cement production emissions but
 also emissions from other mineral industry this is fine. But CDIAC and Andrew data cover only
 cement and thus should be zero.
- Special treatments for Albania, Andorra, China, and the Democratic Republic of the Congo are still in place (see v2.2).

10.8.2 Changes in data sources and preprocessing (v2.3)

10.8.2.1 Input source updates (v2.3)

- CRF data have been updated to the 2021v1 release (Gütschow et al. (2021b)) with the 2020v2 release (Gütschow et al. (2021a)) used as backup to fill potentially missing 2021 data. We have included data updates from Poland and Romania, which were published after the release of 2021v1. The last data year is now 2019 for all categories and gases. Only three countries have changes in overall emissions of over 2%: Kazakhstan, Latvia, and Romania.
- Data from the Biennial Update Reports (BURs, UNFCCC (2021)) have been updated. We have
 added the first BUR of Oman, second BUR of Mauritania, the third BURs of Viet Nam and
 Malaysia, and the fourth BURs of Chile, Namibia, and Singapore. From the third BUR of South
 Africa we have included the 2015 data only, as data for the other years lacks sectoral and gas
 resolution. In total, countries included in our BUR data are
 - first BUR: Indonesia, Montenegro, Mongolia, Mauritania, Oman, and Togo
 - second BUR: Andorra, Argentina, Colombia, Indonesia, Macedonia, Mauritania, Mexico, Moldova, Montenegro, Morocco, Namibia, and South Africa
 - third BUR: Argentina, Andorra, Malaysia, Namibia, South Africa (2015 data only) and Viet Nam
 - fourth BUR: Chile, Namibia, Singapore
 - BUR data from countries reporting in IPCC1996 categories are included via the UNFCCC detailed data by party interface (see below).
- UNFCCC "Detailed Data by Party" has been updated to data available by July 31st, 2021 (Gieseke and Gütschow (2021)): since the version used in PRIMAP-hist v2.3 we have the following changes:
 - Brazil has added data for 2016. Data for other years have been adjusted (BUR4).
 - Bhutan has added data for 2015
 - India has added data for 2016 (BUR3)
 - Chile has added data for 2016. Data for other years have been adjusted (BUR4). Chile's BUR4 data are included both in the BUR source and in the UNFCCC source.
 - Georgia has added data for 2017 and adjusted data for 1990 (The data are from the NIR accompanying the latest National Communication). The data has a GWP error in CH₄, see Known problems (v2.3) section below.
 - Liberia has added data for 2012 (BUR1)
 - Paraguay has added data for 2013
 - Several countries have removed data from "other" subcategories. This usually affects the year
 1994 where data were often put in "other" subcategories, likely because they didn't fit the IPCC1996 categories.
 - For Afghanistan GWP weighted time-series have been adjusted.
 - For Sierra Leone all data have been removed.
 - For Pakistan all N₂O and CH₄ data have been removed.

These additions are in the raw data, preprocessing removes some data. For changes in preprocessed data see section [Changes in preprocessing v2.3] below.

- BP fossil CO₂ data have been updated to the 2021 release (British Petroleum (2021)), last used data year is 2019.
- FAOSTAT data have been updated to include all data available by June 25th, 2021 (Food and Agriculture Organization of the United Nations (2021)). For all sectors and gases the last used year is now 2019. The new FAO data are mainly an extension of the version used in PRIMAP-hist v2.2 (Food and Agriculture Organization of the United Nations (2020)). Changes are limited so single countries and mainly to the most recent years.
- EDGAR data have been updated from v5.0 to v6.0. Data in most sectors and for most gases have changed for many countries. Those changes affect several countries and especially the TP time series for all sectors except agriculture and CO₂ for sectors 1.A and 2.A. The data changes in the fugitive emissions categories 1.B.1 and 1.B.2 are especially high and highly affect overall emissions for several developing countries with comapratively large fossil fuel extraction or processing sectors. A further category with high changes is waste (4) which impact several developing countries where emissions from waste have a high contribution to total emissions. We discuss impacts on countrie's total emissions in the [Noteworthy change (v2.3)] section.
- CDIAC data have been updated to CDIAC-FF 2020 (Gilfillan et al. (2020)): For most countries the category 1.A time series have been extended but existing data have not been changed. For some

smaller developing countries existing time series have been adjusted. We discuss changes in the Noteworthy changes (v2.3) section when they impact country results. Categories 2.A (Cement) and 1.B (flaring) are no longer used in PRIMAP-hist. For Cement we use the Andrew data. CDIAC flaring data also contains venting emissions by considering 100% oxidation of vented Methane and thus leads to some double counting of venting emissions.

- We have added some country reported data that are not (yet) officially submitted to the UNFCCC.

 These are:
 - 2020 inventory for South Korea (Republic of Korea (2020)): Official South Korea national inventory which has not (yet) been shmitted to the UNFCCC.
 - 2020 inventory report for Taiwan (Republic of China Environmental Protection Administration (2020)). As Taiwan is not a member of the UNFCCC this data can not become official UNFCCC data, but as it is officially reported by the Taiwanese government we treat it as country reported data. This closes issue #20.

10.8.2.2 Changes in preprocessing (v2.3)

The processing of f-gas emissions in BUR data has been improved to calculate baskets from individual
gases where these are available. This has a slight impact on HFCs and PFCs as these baskets were
converted between different GWP values using default factors in earlier version of PRIMAP-hist.

10.8.3 Bug fixes and resolved issues (v2.3)

- Downscaling of 1.B.1 CH₄ data from Sudan to Sudan and South Sudan has been fixed (issue #24)
- The low UNFCCC agricultural N_2O data for Albania listed as a possible bug for v2.2 is consistent with Albania's third national communication. (issue #23)
- Taiwan is now included with official data in the country reported scenario. (issue #20)

10.8.4 Known problems (v2.3)

- SF₆ emissions in the TP time series are too low for some countries. This issue has only partly been fixed. The inclusion of sector 2.F.8.b has decreased emissions for some countries as EDGAR v4.2 is scaled to match v4.2 FT2010 if it is present, and for those countries 2.F.8.b is the only sector with data in v4.2 FT 2010. For Iceland the 2.F.8.b data are clearly wrong and several orders of magnitude too high. (issue #19)
- FAO data for synthetic fertilizers do not cover the full period (1961 2018) for several countries. In the 2020 release data for some countries were removed leading to changed emission estimates. Some time series start later than 1961, while others have gaps. As data are summed with other sectors before use in PRIMAP-hist the gaps and boundaries are not filled with data from other sources. (issue #22)
- In v2.2 there was aproblem with scaling of historical CO₂ emissions especially for 1.B.2 and the USA. The new scaling algorithm has alleviated this problem, but it is not completely solved. Countries affected are Belize, Morocco, Mexico, Turkey, USA. (issue #34)
- Process emissions from lime production (2.A.2) are currently not included in the third party priority (TP) scenario, as we use Andrew cement data as a proxy for sector 2.A. To include lime process emissions sub-sector resolution of 2.A would have to be introduced. (issue #38)
- Georgia: UNFCCC data are wrong for waste and LULUCF CH₄, in 1990 and 2017. GWP is applied in the inventory table but the unit given suggests data are in native units (as it actually is for all other sectors). (issue #39)
- Despite the new algorithm for scaling of early emissions data to the more recent sources described in Methodology changes (v2.3) the scaling of CEDS data is in some cases problematic e.g. when the CEDS data shows a strongly decreasing trend before the matching year (see e.g. Saint Lucia CH₄ in 1.B.1). (issue #40)
- Missing countries in CEDS: Some small countries are missing in CEDS and currently lack early
 emissions data for CO₂ and CH₄ in some sectors. These are Anguilla, Andorra, Antarctica, Curacao,
 Monaco, Nauru, Saint Helena, Ascension and Tristan da Cunha, San Marino, Tuvalu, and Vatican
 City State. (issue #41)
- EDGAR data for N₂O, 1.B.1 is very limited for some countries, thus extrapolation generates most of the data for those countries. The main problem is Croatia, however it's not relevant on the level of aggregate emissions. (issue #42)

• For problems that were found after the release of the dataset, please consult the issue tracker github.com/JGuetschow/PRIMAP-hist. If you encounter a problem please add an issue or contact the authors directly.

10.8.5 Noteworthy changes (v2.3)

Here, we list the most important changes in total and per sector / per gas emissions and their reasons. As we have changed the data source for early emissions and thus have changes for a lot of countries in earlier years we limit our analysis to the period of 1990 - 2019 here. The analysis is based on category M.O.EL, and the Kyoto GHG basket using AR4 GWPs.

10.8.5.1 Notable changes in total Kyoto GHG emissions (1990 - 2019) (v2.3)

· Countries added

Curacao (CR and TP): Very limited data are now available. Fugitive emissions for CH₄ and CO₂. CR and TP timeseries are identical.

• Changes over 100% in cumulative emissions

Iceland (TP only): EDGAR 4.2FT2010 SF₆ Emissions for sector 2.F.8.b are wrong (several magnitudes too high). They were not used before the EDGAR SF₆ fix (see Known problems (v2.3)).

• Changes of 50-100% in cumulative emissions

- Bahrain (CR and TP): New EDGAR v6.0 data for CH₄ in sector 1.B is much higher than
 earlier data leading to changes in total CH₄ emissions of over 100% in the period of 1990-2019.
 Further contributions from CH₄, sector 4 (waste).
- Botswana (TP only): EDGAR 6.0 data for CH₄ from category 4 (waste) is at least two orders of magnitude lower than EDGAR 5.0 data and now at the same levels as EDGAR v4.3.2 data. Contributions to the overall emissions change from other sectors are small.
- Georgia (CR only): The changes are mostly due to the bug in the UNFCC data mentioned in the Known problems (v2.3) section.
- Equatorial Guinea (CR and TP): EDGAR v6.0 data for fugitive emissions from oil and natural gas (category 1.B.2) are between 50 and 100% higher than emissions estimates in EDGAR v5.0. As this is the most important sector for Equatorial Guinea the impact on total emissions is large. A further contribution comes from CO₂ in fossil fuel combustion for energy use (1.A) where new CDIAC data are significantly higher than older data. As we have no country reported data for Equatorial Guinea, the CR and TP time series are identical.
- Timor-Leste (CR and TP): EDGAR v6.0 data for fugitive emissions from oil and natural gas (category 1.B.2) are between 50 and 100% higher than emissions estimates in EDGAR v5.0. As this is the most important sector for Timor-Leste the impact on total emissions is large. A further contribution comes from CO₂ in fossil fuel combustion for energy use (1.A) where new CDIAC data are significantly higher than older data. As we have no country reported data for Timor-Leste, the CR and TP time series are identical.
- Taiwan (Republic of China) (CR): Country reported data are included for the first time and differs significantly from third party data for several sectors and gases. For some sectors and gases (e.g. CH₄ in category 2), sectoral detail is not sufficient for inclusion in PRIMAP-hist and thus third party data are used for the CR time series. Double counting of data contained in csv file twice leads to overestimation of emissions.

• Changes of 20-50% in cumulative emissions

- Belarus (TP only): EDGAR 6.0 data for CH₄ from category 4 (waste) is an order of magnitude lower than EDGAR 5.0 data and now below EDGAR v4.3.2 levels. Contributions to the overall emissions change from other sectors are small.
- Cameroon (CR and TP): EDGAR v6.0 CH₄ data for fugitive emissions from oil and natural gas (category 1.B.2) are between 20 and 50% lower than emissions estimates in EDGAR v5.0.
 As we have no country reported data for Cameroon, the CR and TP time series are identical.
- Republic of the Congo (CR and TP): EDGAR v6.0 data for fugitive CH₄ emissions from oil and natural gas (category 1.B.2) are between 20 and 50% higher than emissions estimates in EDGAR v5.0. CO₂ emission estimates for the same sector have increased by over 100% because in PRIMAP-hist v2.3 we use EDGAR v6.0, while we used CDIAC 2017 in v2.2. Contributions to the overall emissions change from other sectors are small. As we have no country reported data for the Republic of the Congo, the CR and TP time series are identical.

- Gabon (CR and TP): EDGAR v6.0 data for fugitive CH₄ emissions from oil and natural gas (category 1.B.2) are between 20 and 50% higher than emissions estimates in EDGAR v5.0. CO₂ emission estimates for the same sector have increased strongly because in PRIMAP-hist v2.3 we use EDGAR v6.0, while we used CDIAC 2017 in v2.2. Contributions to the overall emissions change from other sectors are small. As we have no country reported data for Gabon, the CR and TP time series are identical.
- Kiribati (CR (TP 10-20% change)): Waste CH₄ emissions, which are the major source for CH₄ emissions are around 30% lower in EDGAR v6.0 than in v5.0. Fugitive emissions from EDGAR now include CH₄ from solid fuels (1.B.1) but no longer from oil and natural gas (1.B.2). Further changes come from fossil fuel combustion for energy use (1.A) where CDIAC 2020 emissions differ from the 2017 version used in PRIMAP-hist v2.2 for recent years. The latter change is less relevant for the TP scenario as scaling amplifies the changes in the CR scenario.
- Lao People's Democratic Republic (CR and TP): Main drivers are CO₂ emissions from fossil fuel combustion for energy use (1.A) where CDIAC 2020 emissions are much higher then the 2017 version after 2006. CH₄ emissions from waste are a bit lower while N₂O emissions are higher after 2000 (EDGAR v6.0 vs v5.0). Cement process CO₂ emissions have also increased, but only for the last years. Contributions from other sectors are small. As we have no country reported data for Lao People's Democratic Republic, the CR and TP time series are identical.
- Marshall Islands (TP only): CO₂ Emissions from fossil fuel combustion for energy use (1.A) where CDIAC 2020 emissions are much higher then the 2017 version.
- Solomon Islands (CR and TP): CO₂ Emissions from fossil fuel combustion for energy use (1.A) where CDIAC 2020 emissions are much higher than the 2017 version. As we have no country reported data for the Solomon Islands, the CR and TP time series are identical.

• Changes of 10-20% in cumulative emissions

- Aruba (CR and TP): Aruba has large changes in all top-level sectors with especially high changes (>100%) in the agricultural sector. The reasons for the changes are manifold. EDGAR data has changed, especially for CH₄ in sector 1.B.2; Aruba is no longer included in the FAO data and thus EDGAR data are used for the agricultural sector; CDIAC data for fossil fuel CO2 has changed as well. As we have no country reported data for Aruba, the CR and TP time series are identical.
- Antigua and Barbuda (CR and TP): Large changes in sectors 1, 4, and 5 for different gases mainly introduced by changes in EDGAR data. Fugitive emissions (1.B) are no longer covered by EDGAR for Antigua and Barbuda. As we have no country reported data for Aruba, the CR and TP time series are identical.
- Bahamas (CR and TP): EDGAR data for waste CH₄ has increased by over 100% from v5.0 to v6.0. It is the dominant source of CH₄ emissions for the Bahamas. Changes in other sectors only give small contributions to changes in total emissions. As we have no country reported data for the Bahamas, the CR and TP time series are identical.
- Comoros (CR and TP): EDGAR data for waste CH₄ has increased by over 100% from v5.0 to v6.0. It is the main source of CH₄ emissions for Comoros. Changes in other sectors only give small contributions to changes in total emissions. As we have no country reported data for Comoros, the CR and TP time series are identical.
- Iraq (CR and TP): The two main sources for changes are sectors 1.B.2 and 4 for CH₄ where EDGAR data has changed significantly. Changes in other sectors only give small contributions to changes in total emissions. As we have no country reported data for Iraq, the CR and TP time series are identical.
- Saint Lucia (TP only): Fugitive emissions from EDGAR now include CH₄ from solid fuels (1.B.1) but no longer from oil and natural gas (1.B.2). The main source of changed emissions is however Waste CH₄ where emissions have decreased from EDGAR v5.0 to v6.0. Outside the 1990-2019 year rage we have to note a peak in fugitive CH₄ around 1950 coming from CEDS data.
- Moldova (TP only): The main source of changes in overall emissions is CH₄ from the waste sector. EDGAR v6.0 emissions are much lower (around 70%) than v5.0.
- Malaysia (CR only): The inclusion of the new BUR3 data has changed emissions estimates for many gases and sectors.
- Nigeria (CR and TP): The main sources of differences are CO₂ and CH₄ from category 1.B.2 (fugitive emissions from oil and natural gas) where EDGAR emissions estimates have changed

- strongly from version 5.0 to 6.0 and CDIAC data has been replaced by EDGAR for CO_2 .
- Niue (CR and TP): The changes originate from CO₂ in category 1.A. CDIAC data shows reduced emissions for the last years and is not in line with the trend from downscaled BP data used in previous PRIMAP-hist versions. We have to note here that CDIAC data for Niue has a ver coarse resolution and oscillates between 1 and 3 ktC with 2 ktC as the onlyintermediate value.
- British Virgin Islands (CR and TP): The main data change is higher CO₂ emissions in 1.A from changed CDIAC data. Outside the 1990-2019 year rage we have to note a peak in fugitive CH₄ around 1950 coming from CEDS data. As we have no country reported data for the Biritish Virgin Islands, the CR and TP time series are identical.

10.8.5.2 Changes for individual categories / gases (v2.3) Most of the changes for individual categories and gases have already been described in the Input source updates (v2.3) section above.

As we have changed the data source for early emissions of CO_2 and CH_4 from RCP (using growthrates) to CEDS we have changes in several sectors that affect several countries. On a global level the most affected sectors are 1.A and M.AG.ELV for CH_4 and 1.B.1, 2.C, 2.D, 2.G, 2.H, 4, M.AG for CO_2 .

10.9 v2.2 (November 2019)

The 2.2 release is a minor update of the v2.1 version. The methodology is unchanged, only the input sources have been updated where available. Additionally some bugs have been fixed.

10.9.1 Changes in PRIMAP-hist source creation

10.9.1.1 Data source prioritization No changes except replacement of data sources through updated versions (see section Input source updates below)

10.9.1.2 Sectors and gases No changes

${\bf 10.9.1.3}\quad {\bf Composite\ source\ generation\ methodology}\quad {\bf No\ changes}$

10.9.1.4 Special treatment of individual countries

- Albania: In categories IPC2A and IPC2C scaling of EDGAR data to UNFCCC data gives huge emissions because of data discrepancies in the scaling period. We extrapolate UNFCCC data for sectors IPC2A (years 1992 - 2000) and IPC2C (years 1980 - 2000 and 2007 - 2018) to avoid scaling artifacts.
- Andorra: In the Waste sector (IPC4) scaling of BUR data to EDGAR432 data gives huge emissions
 as BUR data are near zero in the scaling year 2012. We use linear extrapolation instead of BUR
 data.
- China: Scaling EDGAR N_2O emissions from IPC2B to fill the gap between 1994 and 2010 in UNFCCC data gives huge emissions as EDGAR drops to near zero in 2010 while UNFCCC is non-zero. We interpolate and extrapolate UNFCCC data linearly instead of using EDGAR to fill missing years (only after 1994).
- Democratic Republic of the Congo: For CO_2 emissions in IPC1, scaling of EDGAR to UNFCCC gives huge emissions. We extrapolate UNFCCC data for 2004 and 2005 linearly to create a matching point that does not create these artifacts.
- Namibia: In the mineral industry sector (IPC2A) scaling of CDIAC data to ANDREWv4 data gives huge emissions as CDIAC is near zero 2010 and before, while ANDREW is non-zero in 2011 and the following years. We use CDIAC data directly for 1994 to 1998.

10.9.2 Changes in data sources and preprocessing

10.9.2.1 Input source updates

- BP fossil CO₂ data have been updated to the 2020 release (British Petroleum (2020)), last used data year is 2018.
- CRF data have been updated to the 2020 submissions (Gütschow et al. (2020b) + updated data from Hungary).

- Data from the Biennial Update Reports (BURs, UNFCCC (2020)) have been updated. We have added the second BUR from Morocco and the third BUR from Argentina. Data from the third BURs of Chile and Brazil are (at least partly) included in the UNFCCC detailed data by party interface as their data used a mixture of IPCC 1996 and IPCC 2006 categories. Data from the South African third BUR are currently not included, as data detail is not sufficient and downscaling to gases did not provide results consistent with available national total individual gas time series. In total, countries included in our BUR data are
 - first BUR: Indonesia, Montenegro, Mongolia, Mauritania, and Togo
 - second BUR: Andorra, Argentina, Colombia, Indonesia, Macedonia, Mexico, Moldova, Montenegro, Morocco, Namibia, and South Africa
 - third BUR: Argentina, Andorra, and Namibia
- CRF data have been updated to the 2020 release (Gütschow et al. (2020b), as of January 11, 2021) with the 2019 release (Gütschow et al. (2020a)) used as backup for missing 2020 data. The last data year is now 2018 for all categories and gases.
- FAOSTAT data have been updated to include all data available by December 22nd, 2020 (Food and Agriculture Organization of the United Nations (2020)). For all sectors and gases the last used year is now 2018. The new FAO data show significant changes in emissions estimates in the following sectors: IPC3A1 enteric fermentation and IPC3A2 manure management before 1990 for some countries; IPC3C1AG agricultural biomass burning (especially savanna burning): changes for most countries; IPC3C4 direct N₂O from managed soils: changes for a some countries; IPC3C5 indirect N₂O from managed soils: large changes for some countries;
- UNFCCC "Detailed Data by Party" has been updated to data available by December 8th, 2020 (Gieseke and Gütschow (2020)): South Sudan has been added to the source. Burundi, Botswana, China, Dominica, Honduras, Israel, South Korea, Kuwait, Maldives, Palau, Pakistan, Sao Tome and Principe, Tonga, and Uruguay have added and updated datapoints. A few countries have also removed individual datapoints: China, Pakistan, Sao Tome and Principe, and Uruguay. These additions are in the raw data, preprocessing removes some data. For changes in preprocessed data see section Changes in preprocessing below.
- EDGAR data have been updated from v4.3.2 to v5.0. EDGAR v5.0 use IPCC2006 categories which leads to reallocation of emissions between subsectors of IPC2

10.9.2.2 Changes in preprocessing

- We have reduced the requirement for UNFCCC data from needing to cover a period of 11 years to 6 years. However, for several countries the data was not suitable to be used as a first priority source (e.g. too many fluctuations) and had to be excluded. After this change the countries Burundi, Belize, Barbados, Botswana, Democratic Republic of the Congo, Eritrea, Honduras, Haiti, Maldives, Myanmar, Palau, and Tonga are added to the UNFCCC data used in PRIMAP-hist.
- We have reduced the requirement for BUR data from needing to cover a period of 11 years to 6 years. This allowed for the inclusion of Morocco's second BUR.

10.9.3 Bug fixes

None

10.9.4 Known problems

- SF₆ emissions in the TP time series are too low. Some sectors from EDGAR data are not read into the PRIMAP-software properly. issue #19.
- FAO data for synthetic fertilizers do not cover the full period (1961 2018) for several countries. In the 2020 release data for some countries were removed leading to changed emission estimates as data are summed with other sectors before use in PRIMAP-hist. Some time series start later than 1961, while others have gaps. As data are summed with other sectors before use in PRIMAP-hist the gaps and boundaries are not filled with data from other sources. issue #22
- UNFCCC agricultural N_2O data for Albania are very low. issue #23
- Due to a bug IPC1B1 (venting) CH₄ data from EDGAR v5.0 has not been downscaled from Sudan to Sudan and South Sudan. Thus all CH₄ emissions from sector IPC1B1 are attributed to Sudan. issue #24

• For problems that were found after the release of the dataset, please consult the issue tracker github.com/JGuetschow/PRIMAP-hist.

10.9.5 Noteworthy changes

Here, we list the most important changes in total and per sector / per gas emissions and their reasons. The changes due to bugs fixed and discussed in the Bug fixes section above are omitted here.

10.9.5.1 Notable changes in total Kyoto GHG emissions

• Countries removed

Pitcairn Islands (CR and TP): Data for Pitcairn Islands are not included in EDGAR any
more since v5.0. As this was the only source there are currently no recent data available at all.

• Changes over 100% in cumulative emissions

- Barbados (CR only) UNFCCC data are included for the first time and differ strongly from third party data for CH₄, IPC4 (waste) and the agricultural sectors (IPC3A, IPCMAGELV).
- Botswana (TP only) New EDGAR 5.0 data for IPC4 (waste) differ strongly from older EDGAR data. In the CR dataset UNFCCC data are included for the first time. These data are similar to the older EDGAR data and thus there are only small changes below 10% in the CR time series.

• Changes of 50-100% in cumulative emissions

- Belize (CR only): Changes in a few sectors due to the inclusion of UNFCCC data for the first time. Most important is IPC4 (waste). Smaller changes in several sectors due to new EDGAR and FAO data.
- **Democratic Republic of the Congo** (CR only): UNFCCC data are included for the first time especially impacting energy (IPC1) emissions.
- Myanmar (CR only): UNFCCC data have been included for the first time. They differ strongly from third party data for N₂O and CH₄.
- Palau (CR, TP): UNFCCC data have been included for the first time. They differ strongly from third party data for several sectors and gases. EDGAR v5.0 data also differ from EDGAR v4.3.2 used in PRIMAP-hist v2.1.
- South Sudan (CR, TP): due to a bug IPC1B1 (venting) CH₄ data from EDGAR v5.0 have not been downscaled from Sudan to Sudan and South Sudan. Thus all CH₄ emissions from IPC1B1 are attributed to Sudan.
- Sudan (CR, TP): due to a bug IPC1B1 (venting) CH₄ data from EDGAR v5.0 have not been downscaled from Sudan to Sudan and South Sudan. Thus all CH₄ emissions from IPC1B1 are attributed to Sudan.
- Tokelau (CR, TP): EDGAR v5.0 data differ strongly from EDGAR v4.3.2. Some sectors and gases have changed, other have no data at all in v5.0 despite having data in v4.3.2. CR and TP time series are identical as there are no country reported data.

• Changes of 20-50% in cumulative emissions

- Albania (CR only): For some sectors UNFCCC data cover only a period of less than 11 years.
 Thus these time series have been included for the first time changing especially N₂O from all agricultural sectors to very low values. See also Known problems section.
- Burundi (CR (TP 10-20% change)): New EDGAR data (e.g. CH₄ in IPC1 and subcategories) and also extended UNFCCC data which are included for the first time (e.g. CH₄, IPC4). CH₄ emissions in IPC3A are much higher than in v2.1 for the last years. This comes from updated FAO data.
- Georgia (TP only): New EDGAR data impact CH₄ emissions in IPC1B and IPC4, and CO₂ emissions in IPC2D,G,H. Some new sectors from UNFCCC data, e.g. N₂O emissions from IPC2H.
- Hungary (TP only): The highest changes are for CH₄ in IPC4 (>100%, from EDGAR), and IPC2 (20-50% range, from changes in EDGAR which are amplified by the scaling to CRF) and CO₂ in IPC4 (20-50% range, from CRF data). There are several other small changes as several input sources have changed (e.g. N₂O in IPC1B2).
- Jamaica (CR only): Inclusion of UNFCCC data have changed emission estimates in several sectors, most notably in the agricultural sectors (IPC3A, IPCMAGELV) and the waste sector (IPC4).

- **Tonga** (CR only): Inclusion of UNFCCC data have changed emission estimates in several sectors, most notably in the waste sector (IPC4).
- Changes of 10-20% in cumulative emissions
 - The Bahamas (CR, TP): New EDGAR data introduce changes in several sectors (e.g. CH₄ for IPC1 and IPC4; CO₂ for IPC1B and IPC2 subsectors; N₂O for IPC1). CR and TP time series are identical.
 - Belarus (TP only): The source for the largest changes are the new EDGAR data, especially CH₄ from IPC4. CRF data have also updated estimates of historical emissions but the changes are smaller.
 - Central African Republic (TP only): Changes in EDGAR data, especially CO_2 for IPC2 and subsectors.
 - Cyprus (TP only): Changes in EDGAR data, especially CH₄ for IPC4; CO₂, IPC2 and subsectors.
 - Finland (TP only): Changes in EDGAR data, especially CH₄ for IPC4.
 - Moldova (TP only): Changes in EDGAR data, especially CH₄ for IPC4.
 - Maldives (CR only): Due to additional UNFCCC data the CR time series now differ from TP (only for a few sector - gas combinations).
 - Marshall Islands (TP only): Changes in EDGAR data, especially CH₄ for IPC4.
 - Sierra Leone (CR, TP): Changes in EDGAR CH₄ and N₂O in IPC1 and subcategories.
 - **Timor-Leste** (CR and TP): Changes in EDGAR CH_4 for IPC1 and subcategories, CH_4 in IPC4, and N_2O in IPC5.
- Other changes / notes
 - **Fiji**: Fiji has a sudden drop in CH₄ emissions in 2015. The drop originates from FAO cattle enteric fermentation and manure management emissions.
 - $\mathbf{Syria}:$ BP and EDGAR data disagree for the development in the latest years for CO_2 in IPC1A.
- 10.9.5.2 Changes for individual categories / gases / sources Here, we group the changes by their cause and not by country, as several countries are affected in the same way. Not all changes that are large for a sector and gas combination are listed, because that sector and gas combination might not play a significant role in a country's total emissions.
 - EDGAR data update The updated EDGAR data have changed emissions estimates for most sectors, gases and countries. Additionally they are now published in IPCC 2006 sectors leading to reassignment of emissions in subsectors of IPC2 compared to the EDGAR v4.3.2 data. Those changes affect several countries and especially the TP time series for all sectors except agriculture, CO₂ for IPC1A and IPC2A.
 - **FAO data update** The new FAO data show significant changes in emissions estimates in the following sectors:
 - IPC3C1AG agricultural biomass burning, especially savanna burning: while data have changed for all countries the relative changes differ strongly. Where savanna burning is a larger factor of total CH₄ and N₂O emissions this can influence total emissions noticeably.
 - IPC3C4 / IPC3C5 direct / indirect N_2O from managed soils: for some countries fertilizer use data cover a shorter period of time now. This leads to lower agricultural emissions as data are summed with other sectors before use in PRIMAP hist. See also Known problems section.
 - CRF data update A few countries have increased their historical emissions estimates (over 2% increase in cumulative emissions). These are
 - **Belarus**: major change is in CH₄ for IPC3A
 - Iceland: major change is in CH₄ for IPC3 and IPC4
 - Kazakhstan: changes in several sectors and gases; the major change is CO₂ for IPC1B
 - Malta: changes in several sectors and gases; the major change is CO_2 for IPC1A
 - New Zealand: major change is in N₂O for IPCMAGELV
 - UNFCCC data update Most of the countries with newly included or changed UNFCCC data are already listed in the Notable changes in total Kyoto GHG emissions section above. Additionally we have:
 - **Eritrea**: UNFCCC data only used for few sectors / gases. Large changes in CH₄ for IPC4, other sectors have smaller changes.
 - Honduras: Most sectors / gases have changed emissions estimates of different magnitude.

- Haiti: Most sectors / gases have changed emissions estimates of different magnitude.
- BUR data update Morocco's second BUR and Argentina's third BUR have been added.

10.10 v2.1 (November 2019)

The 2.1 release is a minor update of the v2.0 version. The methodology is unchanged, only the input sources have been updated where available. Additionally some bugs have been fixed.

10.10.1 Changes in PRIMAP-hist source creation

10.10.1.1 Data source prioritization

• Data from the third BUR reports have been included as first priority source for non-Annex I parties.

10.10.1.2 Sectors and gases No changes

10.10.1.3 Composite source generation methodology No changes

10.10.1.4 Special treatment of individual countries

- Andorra: In the Waste sector (IPC4) scaling of BUR data to EDGAR432 data gives huge emissions
 as BUR data are near zero in the scaling year 2012. We use linear extrapolation instead of BUR
 data
- Namibia: In the mineral industry sector (IPC2A) scaling of CDIAC data to ANDREWv4 data gives huge emissions as CDIAC is near zero 2010 and before, while ANDREW is non-zero in 2011 and the following years. We use CDIAC data directly for 1994 to 1998.

10.10.2 Changes in data sources and preprocessing

10.10.2.1 Input source updates

- We have included Andrew Cement data (v4, Andrew (2019)), which replace v2 used in PRIMAP-hist v2.0.
- BP fossil CO_2 data have been updated to the 2019 release (British Petroleum (2019)), last used data year is 2017.
- Data from the Biennial Update Reports (BURs, UNFCCC (2019b)) have been updated. We have added the second BURs from Colombia, Indonesia, Mexico, Moldova, and Montenegro. We have also added the third BURs from Andorra and Namibia. Data from the third BURs of Chile and Brazil are (at least partly) included in the UNFCCC detailed data by party interface as their data used a mixture of IPCC 1996 and IPCC 2006 categories. Data from the South African third BUR are currently not included, as data detail is not sufficient and downscaling to gases did not provide results consistent with available national total individual gas time series. In total, countries included in our BUR data are
 - first BUR: Indonesia, Montenegro, Mongolia, Mauritania, and Togo
 - second BUR: Andorra, Argentina, Colombia, Indonesia, Macedonia, Mexico, Moldova, Montenegro, Namibia, and South Africa
 - third BUR: Andorra and Namibia
- CRF data have been updated to the 2019 release (UNFCCC (2019a), as of October 31. 2019) with the 2018 release used as backup for missing 2019 data. The last data year is now 2017 for all categories and gases.
- FAOSTAT data have been updated to include all data available by September 30th, 2019 (Food and Agriculture Organization of the United Nations (2019)). For all sectors and gases the last year is now 2017. The new FAO data shows significant changes in emissions estimates in the following sectors: IPC3C4 direct N₂O from managed soils; IPC3C1AG agricultural biomass burning.
- UNFCCC "Detailed Data by Party" has been updated to data available in August 1st, 2019 (Gieseke and Gütschow (2019)): Jamaica, Mali, and Yemen have been added to the source. Azerbaijan, Brazil, Chile, Malaysia, Mexico, Chad, United Arab Emirates, and Uruguay have extended and / or updated data.

10.10.2.2 Changes in preprocessing

• The EDGAR v4.3.2 data source contains some time series with only a single or very few data points. These have been removed as we do not use single data point time series. This has affected several countries, though only slightly as the time series with missing data are in sectors with low emissions.

10.10.3 Bug fixes

- In earlier versions of PRIMAP-hist, the FAO time series for savanna burning and burning of agricultural residues were mixed up. As they are summed for use in the PRIMAP-hist dataset, this does not directly influence the emissions. However, the savanna burning time series starts in 1990 only, and was extrapolated back to 1961 using EDGAR data, and thus in the older version we erroneously used data for burning of agricultural residues instead of data for savanna burning. This has been corrected in v2.1. Several countries, especially African countries, were affected by the change as visible in the Noteworthy Changes section.
- In the FAO data some time series are published in units of a gas and other in GgCO₂eq units. In consequence, the livestock (IPC3A) CH₄ TP time series in PRIMAP-hist v2.0 used a CO₂eq unit. As the global warming potential (GWP) used for the conversion is not stored with the data, this time series was not converted when aggregating the Kytoto GHG baskests. The original time series is in SAR GWPs (100 year GWP for CH₄: 21) while the AR4 value for CH₄ 100 year GWP is 25. Thus, IPC3A CH₄ was underestimated by a factor of 21/25 = 0.84 in the AR4 Kyoto GHG time series. This has been fixed now and all data are now converted to native units before use in the PRIMAP-hist source. The bug has affected all countries in the TP time series (AR4 GWP Kyoto GHG time series only), but total emissions have only changed notably for those countries which have a high share of livestock emissions in total emissions. (issue #4 in the issue tracker)
- In the CRF data some countries report an unspecified mix of HFCs (PFCs). These can not be converted to different GWPs automatically as their mix is unknown. CRF data are reported in AR4 GWPs. Because there was no conversion to other GWPs the emissions reported as unspecified mix of HFCs (PFCs) were only included for AR4 GWPs. Only few countries report unspecified mixes and of these only Japan in quantities sufficient to noticeably affect total emissions (for recent years only).
- The BUR data have no common specifications of units, GWPs, etc used by all countries. Thus, time series prsented in CO₂eq units can use different GWPs throughout the BUR data source. These time series were not in all cases converted to a common GWP leading to GWP conversion errors in PRIMAP-hist v2.0. This has been corrected in v2.1. Affected countries are Argentina and South Africa.
- For a few very small countries, which are included in reporting of larger countries for some sources there was a bug in downscaling of agricultural emissions leading to emissions time series dropping to 0 in 2013. This has been corrected. Affected countries are Monaco, San Marino, Vatican. (issue #3 in the issue tracker)

10.10.4 Known problems

No known problems. For problems that were found after the release of the dataset, please consult the issue tracker github.com/JGuetschow/PRIMAP-hist.

10.10.5 Noteworthy changes

Here, we list the most important changes in total and per sector / per gas emissions and their reasons. The changes due to bugs fixed and discussed in the Bug fixes section above are omitted here.

10.10.5.1 Notable changes in total Kyoto GHG emissions

- Changes of 20-50% in cumulative emissions
 - Central African Republic: changes in data before 1990 in CR and TP datasets. The changes originate from the extrapolation bugfix in agricultural biomass burning emissions.
 - Colombia: the inclusion of data from the second BUR has changed emissions in the CR time series in all sectors with largest changes in the agricultural sector. The TP time series has only small changes coming mostly from the IPC3A FAO GWP bug (AR4 GWP time series only).

- Democratic Republic of the Congo: overall data changes in CR and TP datasets. The changes originate mostly from biomass burning emissions, where FAO data have changed. The extrapolation bugfix has also influenced pre-1990 emission estimates.
- Guinea: overall data changes in CR and TP datasets. The changes originate mostly from biomass burning emissions, where FAO data have changed. The extrapolation bugfix has also influenced pre-1990 emission estimates.
- Guinea Bissau: overall data changes in CR and TP datasets. The changes originate mostly from biomass burning emissions, where FAO data have changed. The extrapolation bugfix has also influenced pre-1990 emission estimates.
- Namibia: changes mainly in the agricultural sectors. The changes originate from new BUR data and new FAO data including the extrapolation bugfix. Changes for the TP source are in the 10-20% range.
- South Sudan: changes in the agricultural sectors. The changes originate from new FAO data including the extrapolation bugfix. As there is no country-reported data, CR and TP datasets are identical.

• Changes of 10-20% in cumulative emissions

- Angola: changes in the agricultural sectors. The changes originate from new FAO data including the extrapolation bugfix. As there is no country-reported data, CR and TP datasets are identical.
- Botswana: changes in the agricultural sectors. The changes originate from new FAO data including the extrapolation bugfix. As there is no country-reported data, CR and TP datasets are identical.
- Côte d'Ivoire: changes in the agricultural sectors. The changes originate from new FAO data including the extrapolation bugfix. As there is no country-reported data, CR and TP datasets are identical.
- Republic of the Congo: changes in the agricultural sectors excluding livestock. The changes originate from new FAO data including the extrapolation bugfix. As there is no country-reported data, CR and TP datasets are identical. The changes are smaller for the AR4 GWP time series as they partly cancel with changes introduced by the FAO IPC3A GWP bugfix.
- Mali: changes in several categories for the CR dataset, as the addition of data for 2010 has
 enabled the use of the country-reported UNFCCC data in the PRIMAP-hist dataset. The TP
 dataset has changes in the agricultural sector originating from new FAO data including the
 extrapolation bugfix.
- Namibia: the most important change comes from fixing a scaling bug in IPC2A (Mineral Industry) CO₂ emissions, which lead to an emissions peak in PRIMAP-hist v2.0. Further changes come from the inclusion of the third BUR (CR dataset) and FAO2019 (both datasets).
- Papua New Guinea: changes in emissions estimates from the agricultural sector and from industrial processes (cement). In the agricultural sector, the main source of changes are direct N_2O emissions from managed soils (IPC3C4) from the FAO dataset. As there is no country-reported data, CR and TP datasets are identical.
- Russia: strong downward correction of emissions from several sectors and gases in the CR source: CH₄, CO₂, and N₂O from fugitive emissions from oil and natural gas (IPC1B2), N₂O from livestock (IPC3A), CO₂ and N₂O from agricultural emissions excluding livestock (IPCMAGELV), CH₄ from waste (IPC4). The national inventory report mentions a change in emissions factors as the source of the changes.
- Togo: changes in the agricultural sectors in the CR source. The changes originate from new FAO data including the bugfix. Changes in the TP source are smaller (5-10% range) as the estimates for agricultural emissions are higher in the CR source and FAO data are scaled to match these higher emissions.
- Tanzania: changes in the agricultural sectors excluding livestock. The changes originate from new FAO data including the extrapolation bugfix. As there is no country-reported data, CR and TP datasets are identical.

10.10.5.2 Changes for individual categories / gases Here, we group the changes by their cause and not by country, as several countries are affected in the same way. Not all changes that are large for a sector and gas combination are listed, because that sector and gas combination might not play a significant role in a country's total emissions.

• FAO data update

- The FAO data update mainly affected emissions excluding livestock. Livestock emissions are largely unchanged.
- Several countries are affected by a change in direct N₂O emissions from managed soils (IPC3C4):
 - * much higher emissions: Iceland (TP)
 - * higher emissions: Burundi (CR, TP), Gabon (CR, TP), UK (TP)
 - * lower emissions: Armenia (TP), Belize (CR, TP), Canada (TP), Ireland (TP), Malaysia (TP), Nepal (CR, TP), Oman (CR, TP)
 - * much lower emissions: Estonia (TP), Suriname (CR, TP)
 - * other changes: Bahrain (peaks removed, CR, TP), Trinidad and Tobago (peaks removed, CR, TP)
- The Update of biomass burning emissions (and the bugfix) affected several countries as well.
 A lot of them are already mentioned above. Additionally we have
 - * Australia (CH₄, N₂O: TP)
 - * Ghana (CH₄, N₂O: TP)
 - * Gambia (lower N₂O: CR, TP)
 - * Guyana (lower CH₄, N₂O: CR, TP)
 - * Indonesia (slightly lower CH₄, N₂O: CR, TP)
 - * Lesotho (CH₄, N₂O: CR, TP)
 - * Madagascar (CH₄, N₂O: TP)
 - * Mozambique (CH₄, N₂O: CR, TP)
 - \ast Paraguay (CH₄, N₂O: CR, TP)
 - * Sudan (CH₄, N₂O: CR, TP)
 - * Senegal: (CH₄, N₂O: CR, TP)
 - * Sierra Leone: (CH₄, N₂O: CR, TP)
 - * South Africa: (CH₄, N₂O: CR, TP)
 - * Zambia: (CH₄, N₂O: CR, TP)
 - * Zimbabwe: (CH₄, N₂O: CR, TP)
- Other changes
 - * Kuwait: new peaks in N₂O from IPCMAGELV
 - * Chad: different changes through new FAO data. The most important is a strong increase in emissions for the last years for livestock and direct soil N₂O. (CH₄, N₂O: CR, TP)

• CRF data update

- Cyprus: lower N_2O emissions in agriculture without livestock, but not relevant on national total Kyoto GHG level
- Iceland: much lower livestock $\mathrm{N}_2\mathrm{O}$ emissions in CR source.
- Kazakhstan: Fugitive emissions from oil and natural gas (IPC1B2) are much higher in CRF 2019 than in the CRF data used fore PRIMAP-hist v2.0. (CR)
- Luxembourg: slight decrease in N20 data from agriculture excluding livestock (CR)
- Romania: changed emission for several sectors and gases (CR)
- Turkey: changed emissions for several sectors and gases (CR)
- USA: N₂O emissions from energy corrected upwards (CR)

• UNFCCC data update

- Chile: the new F-gases UNFCCC data are much higher than EDGAR42 used before. There are no HFCs data in EDGAR, thus the TP source also shows higher F-gases emissions. N_2O data are lower. One problematic data point has been removed.
- United Arab Emirates: changed emission estimates for latest years
- Azerbaijan: drop in agricultural N₂O data in last years
- Uruguay: new data have changed emissions for several sectors and gases
- Yemen: newly available in UNFCCC (data detail not sufficient for all sectors). The PRIMAP-hist time series show changes in several sectors and gases (CR).

• BUR data update

- Colombia: the new F-gases BUR data are much higher than EDGAR42 used before. No HFCs data in EDGAR, thus the TP source also shows higher F-gases emissions.
- Moldova: new BUR data replace UNFCCC data and lead to changes for several sectors and gases in the CR time series.
- Montenegro: new BUR2 data replace BUR1 data and lead to changes for several sectors and gases in the CR time series.

10.11 v2.0 (December 2018)

The v2.0 release comes with several important changes. The dataset now uses the sectors from the IPCC 2006 guidelines. It includes new and updated data sources (EDGAR v4.3.2, Andrew 2018 cement data, updated BUR, CRF and UNFCCC data, updated BP and FAO data). This release of PRIMAP-hist does not include LULUCF emissions. We also present two different data sets to highlight discrepancies between data from third-party assessments and data reported by countries. In the "country-reported priority" time series we prioritize country-reported data over third-party data. This is a direct continuation of earlier versions of PRIMAP-hist. These time series has the scenario code "HISTCR". In the "third-party priority" time series we prioritize data from third-party assessments (e.g. by research institutes, international organizations, or private companies) over the third-party data. The scenario code is "HISTTP". A new data description paper with detailed methodology description is currently under preparation.

10.11.1 Changes in PRIMAP-hist source creation

10.11.1.1 Data source prioritization

- Through the inclusion of new data sources, the source prioritization has changed a little. The "HISTCR" time series, which are the continuation of the previous PRIMAP-hist time series now use the following source prioritization: CRF 2018, CRF 2017, BUR, UNFCCC2018, Andrew2018, CDIAC 2017, FAO2018, EDGAR v4.3.2, EDGAR v4.2 (FT2010), BP2018.
- The new "HISTTP" time series use the same basic prioritization, but with the block of country-reported data sources (CRF, BUR, UNFCCC) at the end of the priority list.

10.11.1.2 Sectors and gases The data source now uses the IPCC 2006 sectors. The sectors are listed in section [category] above. The new sectors bring some changes to the categorical resolution.

- In the agricultural sector we now distinguish between emissions from livestock (IPC3A) and agricultural emissions without livestock (IPCMAGELV). Because of the use of manure as fertilizer for crops, this split is not always exactly the same for all data sources. The extrapolation has also changed, as EDGAR-HYDE has individual data for livestock and agricultural emissions without livestock (for $\rm CH_4$ and for $\rm N_2O$ we use the combined time series as the individual time series for agriculture without livestock are zero before 1940 for most regions).
- Subsector resolution for IPC1 and IPC2 is now available for all gases except the fluorinated gases, which lack this resolution in some input data sources.

The gas resolution has not been changed. Country- and sector-resolved data for individual HFCs and PFCs are still too scarce to create individual gas time series. However, NF₃ has been added to the time series but data are only available for a few countries.

10.11.1.3 Composite source generation methodology

- When only a few (less than 6) years are added to the time series by a lower priority source (for a specific country / gas / sector), the scaling is not carried out using regression values but the raw data of the time series and the lower priority source in the last year of the time series (first year in case of extension to the past). This method better accounts for short term trends, which are the information we want to obtain from the lower priority source if only a few years are added.
- The the scaling of lower priority time series to higher priority time series has been adjusted for category IPC1B2. Now a trend of 5 years is used instead of a trend of 15 years. This was necessary as several countries showed a steep increase in emissions in the first half of the 1970s, leading to very high starting points of the backwards extrapolation of EDGAR v4.3.2 data.
- The scaling of lower priority sources when filling gaps in higher priority sources has been changed as there were some problems when the lower priority source data showed strong fluctuations in the years of the gap, leading to different scaling factors for the right and the left boundary. Now small gaps (< 5 years), where the quotient of the left and right boundary scaling factors is larger than 2, are linearly interpolated instead of filling with scaled lower priority data.
- The bound on the scaling factor has been removed. Lower priority sources are now strictly used as growth rates.

10.11.1.4 Special treatment of individual countries

• South Sudan and Sudan now have individual data in most data sources. Thus, individual time series are created for the two countries instead of downscaling of a common time series after the source creation, as done before.

10.11.2 Changes in data sources and preprocessing

10.11.2.1 Input source updates

- We have included Andrew 2018 (v2) data on CO₂ emissions from cement to replace the CDIAC cement CO₂ emissions. We classify the dataset as third-party data, as it provides an overview over emissions from almost all countries. However, country-reported data (CRF) are also used to create the dataset.
- BP fossil CO₂ data have been updated to the 2018 release, last used data year is 2016.
- Data from the Biennial Update Reports (BURs) have been updated to include all BURs submitted until 1st September 2018 which use IPCC 2006 categories and contain sufficient data to be used in PRIMAP-hist. All data from countries which submitted their BURs in IPCC 1996 categories should be included in the UNFCCC "Detailed Data by Party" source. Countries included in our BUR data are
 - first BUR: Indonesia, Montenegro, Mongolia, Mauritania, Togo
 - second BUR: Andorra, Argentina, Macedonia, Namibia, South Africa
- CRF data have been updated to the 2018 release with the 2017 release used as backup for missing 2018 data. The last data year is now 2016 for all categories and gases
- EDGAR data have been updated to version v4.3.2. The new release shows significant differences in emissions estimates for some sectors and gases. Most prominent is a strong increase in estimates of fugitive emissions from oil and gas production. While this is a small contribution for most developed countries, it is a very important emissions source for oil exporting countries, especially when export of fossil fuels is the main economic sector. The change is justified in the EDGAR v4.3.2 description paper, see Janssens-Maenhout et al. (2017).
- FAOSTAT data have been updated to include all data available by September 2018. Changes in historical emissions are very limited. For most sectors and gases the last year is now 2016. There are some exceptions which need special processing which is explained in the following section.
- UNFCCC "Detailed Data by Party" has been updated to data available by September 2018 (no updates from the cited July version: Gieseke and Gütschow (2018)): several countries are included for the first time with sufficient data to be used in PRIMAP-hist. Some countries have updated and extended data. However, some time series seem to be constructed from data points that were calculated using different methodologies and therefore show large discrepancies. Other data show strong fluctuations or deviate strongly from third-party sources. In several cases we excluded data from use in PRIMAP-hist as we could not identify the source of the fluctuations and discrepancies. Details are presented in the section Noteworthy Changes below.

10.11.2.2 Changes in preprocessing

- In earlier versions of PRIMAP-hist, all input sources were extrapolated during sector and gas aggregation where individual subsectors or gases did not cover the full time frame. This has now been replaced by more specific extrapolations for the few cases where extrapolation is needed.
- All data sources not reported in IPCC 2006 sectors are converted to these sectors. These are: FAOSTAT, EDGAR v4.2, EDGAR v4.3.2, EDGAR-HYDE v1.4, RCP, and UNFCCC. BP, CDIAC, and Andrew cement data do not need a conversion as they only cover subsectors which are also present in the 2006 guidelines.
- FAOSTAT data covers the period 1961 to 2016 for most sectors and gases. However, there are a few exceptions that need special treatment:
 - For $\rm N_2O$ emissions from synthetic fertilizers, the resolved direct and indirect emissions miss 2016 data. We use the net emissions trend to extrapolate direct and indirect emissions. Direct and indirect emissions are mapped to different sectors in the IPCC 2006 categories and are thus needed for the whole time frame.
 - Data for agricultural waste burning are only available from 1990 onwards. In the PRIMAP-hist source creation agricultural waste burning emissions are included in the IPCMAGELV sector. For some countries emissions from this sector are a mayor contribution to the IPCAGELV sector. We thus extrapolate the FAO data with EDGAR v4.3.2 data for the same sector before

- aggregation of the IPCMAGELV sector.
- Data for cultivation of organic soils are only available from 1990 onwards. As we have no alternative data source for this sector, we use a constant extrapolation. The data available in FAO are also a constant time series. Implicitly, the same was done in PRIMAP-hist v1.2 as the linear extrapolation of a constant function is a constant extrapolation
- In the BUR data, some tables contained unit errors or ambiguities that had to be corrected. Some countries provided the detailed category and gas information only for selected years and required downscaling to obtain time series usable in PRIMAP-hist
 - SF₆ data for Montenegro have been corrected as they were presented with a wrong unit in the BUR (The unit given is Gg while the data are actually in GgCO₂eq)
 - Indonesia data need downscaling of IPC1 and IPC2 data to subsectors for 2000 2011, where detailed 2012 data are used as downscaling key.
 - Mongolia data only resolve gases for 1990 and 2014 for all sectors. KYOTOGHG time series are provided for all sectors for 1990 2014. Some sectors only contain emissions from a certain gas and thus the Kyoto GHG time series can be used to construct an individual gas time series for these sectors. Other sectors need downscaling of Kyoto GHG time series to individual gases using the shares from 1990 and 2014 (linearly interpolated). These sectors are: IPC1 and subsectors and IPC4.
 - Argentina provides data for 1990 2014 with gas detail only for 2014. Thus, for all sectors Kyoto GHG data are downscaled to individual gas level using the 2014 shares.
- The UNFCCC "Detailed Data by Party" interface combines data from different country submissions. Sometimes these data have been prepared using different methodologies and guidelines and are inconsistent. When the sectors do not match the IPCC 1996 guidelines used by the interface, the time series are sometimes put into "other" categories. We thus have to remove data points and partial time series for several countries. In other cases we have to downscale data that are not available in the necessary categorical detail using detailed data available for individual years.
- Downscaling of Sudan data to Sudan and South Sudan is now carried out in the individual sources which do not yet contain data for the individual countries (e.g. EDGAR v4.2) or only resolve the individual countries for the time after the separation of Sudan e.g. (FAO, CDIAC).
- The downscaling of the groups for countries not individually resolved in the BP data has been improved. It now uses the trend of emissions shares from CDIAC rather than the shares themselves.

10.11.3 Further bug fixes

None.

10.11.4 Known problems

- The shorter regression period for category IPC1B2 extrapolation is only applied when extrapolating with EDGAR-HYDE data. However, EDGAR-HYDE data for N₂O in IPC1B2 starts in 1970, the same year as EDGAR v4.3.2 data. Thus it is not used for extrapolation. In the extrapolation with RCP data the normal regression period is used and thus the starting point of the extrapolation is higher as there was a steep increase in fugitive emissions in the early 1970s.
- Data for the Pitcairn Islands has no CO₂. All data for the territory comes from EDGAR v4.2 and is very patchy. However, this is not very important as the Pitcairn Islands have only about 50 inhabitants.
- Tokelau CO₂ data are not extrapolated before 1890. Tokelau has no CO₂ IPC1A data and thus needs a special treatment for the CO₂ extrapolation. This will be added in a future version.
- The agricultural sectors (IPC3A, IPCMAG, IPCMAGELV) miss the last years for some countries. To add them in a manner consistent with the rest of the dataset, we use a linear extrapolation with a trend calculated from the last 15 years with data available. This bug will be corrected in the next release.

10.11.5 Noteworthy changes

We group the changes by their impact on cumulative IPCM0EL, Kyoto GHG emissions and present the reasons for these changes.

• Changes over 100% in cumulative emissions

- Brunei Darussalam: EDGAR v4.3.2 shows strong changes compared with EDGAR v4.2 and other sources (especially CH₄). These changes come from fugitive emissions (IPC1B2, fugitive emissions from oil and natural gas).
- Changes between 50 and 100% in cumulative emissions
 - Republic of the Congo, Gabon, Libya, Nigeria, Oman, Qatar: All countries have large changes in fugitive emissions due to differences in EDGAR v4.3.2 vs. EDGAR v4.2. The main sector is IPC1B2, but other sectors are also affected (e.g., N₂O from fuel combustion activities (IPC1A), or for Oman emissions from industrial processes and product use (IPC2))
- Changes between 20 and 50% in cumulative emissions
 - Angola, Algeria, Cameroon, Iraq, Kuwait, Saudi Arabia: These countries are impacted by the change in fugitive emissions in the EDGAR data (IPC1B2, CH₄; for Cameroon also CO₂; for Iraq also N₂O from different sectors).
 - Armenia: UNFCCC data are now used. This has changed emissions estimates. Agricultural data from UNFCCC are subject to high fluctuations.
 - Bhutan: Changes in CH₄ and N₂O from new EDGAR data (IPC1 and subsectors) have reduced emissions estimates.
 - Democratic Republic of the Congo: There are changes for all three mayor gases. Changes in CO₂ and CH₄ from EDGAR v4.3.2, IPC1B2. Changes in N₂O from IPC5, which has also changed substantially from EDGAR v4.2 to EDGAR v4.3.2.
 - Equatorial Guinea: Changes come mainly from CH_4 , a bit from N_2O . They originate from EDGAR v4.3.2, which is also used for CH_4 in IPCMAGELV.
 - Guyana: CH₄ extrapolation before 1960.
 - Lebanon: Changes in CH_4 and N_2O emissions from UNFCCC data. Changes before 1990 in CO_2 , IPC1B2 from EDGAR v4.3.2 data.
 - Saint Lucia, Madagascar: UNFCCC data have been included, which differs from other sources. (For Saint Lucia especially for N_2O and CH_4).
 - Mauritania: Inclusion of BUR data changed emissions estimates. The main source of differences are: N₂O in IPC4 and IPCMAG, and CH₄ in IPC4.
 - Niger: Inclusion of UNFCCC data introduced changes for all sectors and gases. UNFCCC data
 are very scarce and fluctuating but somewhat in line with third-party sources and therefore
 kept.
 - Turks and Caicos Islands: Changes in emissions estimates of all three mayor gases due to EDGAR v4.3.2.
 - Chad: Changes mainly in emissions estimates of N_2O and CH_4 from EDGAR v4.3.2. UNFCCC data are only used for IPC4.
 - Tokelau: Changes in emissions estimates of N₂O and CH₄ from EDGAR v4.3.2.
 - Timor-Leste: Changes mainly in emissions estimates of $\mathrm{CH_4}$ and smaller changes in $\mathrm{CO_2}$ emissions, both from EDGAR v4.3.2.
 - Saint Vincent and the Grenadines: UNFCCC data for agricultural CH₄ and N₂O are not used any more as they showed large fluctuations and step changes not in line with any other source.
- Changes between 10 and 20% in cumulative emissions
 - Djibouti: EDGAR v4.3.2 has changed emissions estimates of CH₄ and N₂O significantly.
 - Ecuador: CH₄ emissions estimates have changed for several sectors due to EDGAR v4.3.2.
 - Federated States of Micronesia: cumulative changes mainly from CO₂ (because downscaled BP data are available), but also strong peak changes for CH₄ and N₂O (from FAO, which had very low emission in the last data year in the last revision).
 - Georgia: We have removed UNFCCC CH₄ CAT1A data prior to 2000 because they were reported in CAT1A5 (other) and did not match the data for later years, which means that they were likely calculated using a different methodology than data submitted later.
 - Croatia: CH₄ data have changed as IPC3A data in CRF 2018 are significantly higher than in CRF 2017 which was used in PRIMAP-hist v1.2. CO₂ data before 1990 are higher, because the scaling of EDGAR to CRF is not bounded any more. PFCs data have changed, because the CRF data have a gap and the gap filling procedure was adapted.
 - Haiti: CH₄ emissions from IPC1B1 are much higher after 2004 due to EDGAR v4.3.2.
 - Iran: Changes come mainly from $\mathrm{CH_4}$ in IPC1B2, originating from EDGAR v4.3.2. The EDGAR data also introduce changes in $\mathrm{N_2O}$ data for different sectors.
 - Kiribati: The changes come mainly from CH₄, where IPC4 has been added in EDGAR v4.3.2 and IPC3A, where UNFCCC data are now used. Other gases and sectors changed as well, also

- due to the inclusion of UNFCCC and EDGAR v4.3.2 data.
- Mali, Senegal, Mozambique, Tanzania: CH₄ and N₂O have changed, mostly before 1990: this
 is due to a new method to extrapolate missing emissions from burning of agricultural residues.
 In v1.2, linear extrapolation was used, now we use growth rates from EDGAR v4.3.2 (see
 above).
- Montenegro: The main change in emissions estimates comes from a modified scaling of EDGAR
 v4.2 PFCs data to the much higher country-reported data (BUR and UNFCCC).
- Mongolia: The inclusion of BUR data have introduced changes in several sectors and gases.
- Paraguay: Inclusion of UNFCCC data, which was not included in v1.2 has changed emissions, primarily N₂O, where IPCMAGELV is the dominant sector.
- Sudan and South Sudan: There now are more independent data available for South Sudan, such that we need less downscaling based on economical data. This introduces some changes in emissions, especially for years after 2000. Furthermore, some input data have changed (FAO, EDGAR). The different extrapolation of missing FAO data have also impacted pre-1990 CH₄ and N_2O emissions especially for South Sudan.
- Syria: Changes are mainly CH₄, IPC1B2 and originate from EDGAR v4.3.2 data. N₂O data have also changed, again because of changes in EDGAR data.
- Togo: Emissions estimates for all gases have changed because of the inclusion of BUR data.
- Yemen: CH₄ has changed post-1990 in sector IPC1B2. N₂O has also changed. Both changes come from EDGAR v4.3.2.
- South Africa: Higher CH₄ emissions due to the inclusion of BUR data for the agricultural sector, which is much higher than third-party sources.

10.12 v1.2 (December 2017)

The v1.2 release uses new input data. CRF data have been updated to the 2017 and 2016 releases, CDIAC and BP data have been updated to their 2017 releases and the UNFCCC Non-Annex I data have been updated to the status of August 2017.

10.12.1 Changes in PRIMAP-hist source creation

- The method to fill gaps in time series has been changed. In v1.1, gaps in higher priority time series were linearly interpolated to enable the calculation of trends for the combination of time series from different data sources, even if the time series contained only few data points. This method can not be used any more as we now include UNFCCC data for China, which has data for only three years. Linear interpolation overestimates emissions in the late 1990s, where the Asian financial crisis lead to declining emissions (with a steep increase after the crisis). In v1.2, gaps are filled with data from lower priority time series (where available) in the following way: the linear trend for the gap period is calculated both for the time series with the gap and the time series used to fill the gap. Then the deviation from the trend is calculated for the time series used to fill the gap. Scaling factors between the two time series are calculated for the left and right boundary of the gap. They are capped using the same bound as for the extension with lower priority time series (a factor of 3(1/3)). The final time series to fill the gap is constructed as the sum of the linear trend of the higher priority time series and the scaled deviation from trend of the lower priority time series. The scaling uses a linear interpolation between the scaling at the left and right boundaries. This change affects all countries that have reported only a few years under UNFCCC2017B data, however, for most countries the differences are small. Details are presented in the noteworthy changes section.
- Changes in extrapolation trend calculations: in some cases the time span to calculate linear trends for the extrapolation starting points have changed.
 - LULUCF, CO₂, future extrapolation: FAOSTAT LULUCF data have a change in methodology in 2011 (inclusion of forest degradation and regrowth) leading to abrupt changes in estimates of emissions and removals. To avoid calculating an average over data calculated using different methodologies, we shorten the period to calculate the average to 4 years (2011 2014). The average is used to extrapolate data to 2015.
 - LULUCF, all gases: The trend used to calculate the starting point for extrapolations to the past
 is now calculated over 20 years instead of 30 years to avoid the use of different unharmonized
 data sources in the trend calculation.
 - BP data are only used to amend a single year to energy CO₂ time series. We therefore no longer use a trend calculation to determine the starting point for the extrapolation, but use

the last data point of the higher priority source directly.

• Historical extrapolation for LULUCF, CH₄: until v1.1, we used EDGARHYDE data for the extrapolation. However, for some regions the EDGARHYDE data have non-zero emissions only between 1960 and 1985 - 1990, which is inconsistent with other sources. We therefore switched to RCP data, which is available on a level of 5 regions. As RCP data are defined starting in 1850, the linear interpolation for 1850 - 1890 is no longer necessary.

10.12.2 Changes in data sources and preprocessing

10.12.2.1 Input source updates

- \bullet CRF data have been updated to the 2017 release with the 2016 release used as backup for missing 2017 data.
 - The last data year is now 2015 for all categories and gases.
 - CRF data since 2015 follow the IPCC 2006 guidelines. Therefore, reported emissions have changed, especially for fugitive emissions and $\mathrm{CH_4}$ and $\mathrm{N_2O}$ from agriculture and land use. See also Jeffery et al. (2018a) and Jeffery et al. (2018b).
 - CDIAC fossil CO₂ data have been updated to the 2017 release, last data year is 2014.
 - BP fossil CO₂ data have been updated to the 2017 release, last used data year is 2015.
 - UNFCCC "Detailed Data by party" has been updated to August 2017: several countries are included for the first time with sufficient data to be used in PRIMAP-hist. Some countries have updated and extended data. However, some time series seem to be constructed from data points that were calculated using different methodologies and therefore show large discrepancies. Other data show strong fluctuations or deviate strongly from third-party sources. In several cases we excluded data from use in PRIMAP-hist, as we could not identify the source of the fluctuations and discrepancies. Details are presented in the noteworthy changes section.

10.12.2.2 Changes in preprocessing

• CRF 2016 and 2017 data are reported using new tables. The sectors in these tables are similar to but not exactly the IPCC 2006 sectors. The new reporting format makes a conversion to IPCC 1996 sector definitions used for PRIMAP-hist necessary. Depending on the reporting this is not perfectly possible for all countries. However, this mainly influences category 3, which has very small emissions. For details we refer to Jeffery et al. (2018a).

10.12.3 Further bug fixes

none

10.12.4 Known problems

- For Mauritius, the first data point for CH₄, category 6 (waste) in the UNFCCC2017 dataset is very low compared to the other data points. This influences the final dataset. As the low data point is in line with EDGAR data we do not remove it.
- There are no CH₄ and N₂O land use data for Egypt, Grenada, Haiti, and Singapore in PRIMAP-hist v1.1. The only available data source is FAO, which has only zero values in its current version and is thus not used for the PRIMAP-hist source.
- The (former) Netherlands Antilles are not included in the country mask used for Houghton (2008) downscaling, thus there are no Houghton (2008) based data.
- The country mask used in the downscaling of Houghton (2008) data treats Taiwan as a part of China and thus does not deliver data for Taiwan. As none of the data sources used for PRIMAP-hist has land use data for Taiwan, we have no option to downscale Taiwan from China.

10.12.5 Noteworthy changes

The noteworthy changes are grouped by dataset or processing which induced the change

- CRF (UNFCCC Annex I)
 - The new reporting guidelines introduce changes in emissions estimates for all countries which vary in strength and sectors affected. Countries with smaller changes are grouped, while for countries with larger changes or changes that are specific to a single country we explain the

- changes individually. For a more comprehensive discussion of the CRF 2017 data see Jeffery et al. (2018a).
- Several countries exhibit changes in several sectors where relative changes are large for some sectors and gases but differences in economy-wide GHG emission estimates are small: Canada, Czech Republic, Germany, Denmark, Spain, France, Luxembourg, Netherlands, Norway, New Zealand, Poland, Slovakia, USA.
- Several countries exhibit changes of emissions estimates which are mainly in the agricultural sector: Greece, Croatia, Hungary, Ireland, Liechtenstein, Lithuania, Latvia, Portugal, Slovenia, Sweden
- Australia: Total $\mathrm{CH_4}$ emissions are much lower under the IPCC 2006 guidelines used for CRF 2017 data than under the 1996 guidelines used for CRF 2014 data, which is the basis of v1.1. The largest change is in the agricultural sector. $\mathrm{N_2O}$ emissions are much lower in CRF 2017 than in CRF 2014 as well.
- Austria: Total CH₄ emissions are higher under the IPCC 2006 guidelines used for CRF 2017 data than under the 1996 guidelines. Total CO₂ emissions are almost unchanged, however, CAT1 emissions decreased significantly while CAT2 emissions increased. Total N₂O emissions are much lower.
- Belgium: Total CH₄ emissions are higher under the IPCC 2006 guidelines used for CRF 2017 data than under the 1996 guidelines.
- Bulgaria: Total $\mathrm{CH_4}$ emissions are much lower in 1990 under the IPCC 2006 guidelines used for CRF 2017 data than under the 1996 guidelines. This leads to different historical emissions. Total $\mathrm{N_2O}$ emissions are much lower.
- Belarus: Total CH $_4$ emissions are higher under the IPCC 2006 guidelines used for CRF 2017 data than under the 1996 guidelines. Total $\rm N_2O$ emissions are significantly lower.
- Cyprus: Total CH₄ emissions are much lower under the IPCC 2006 guidelines used for CRF 2017 data than under the 1996 guidelines, especially for CAT6. This leads to different historical emissions. Total N₂O emissions are much lower as well where CAT4 is the main source.
- Iceland: CH₄ from land use drastically increased under IPCC 2006 guidelines and significantly increased total emissions.
- Kazakhstan: Changes due to changed data in the industrial processes sector.
- Monaco: Energy CO₂ is lower in CRF 2017 than in CRF 2014
- Malta: Changes due to changed data in several sectors and gases.
- Russia: Increased emissions mostly due to higher non-CO₂ emissions from the energy sector.
- Turkey: Changes due to changed data, mainly in the waste and agricultural sectors.
- Ukraine: Lower emissions due to changed data in several sectors and gases
- UNFCCC2017B (UNFCCC for Non-Annex I)
 - for several countries UNFCCC data are available, which ware not available for v1.1.
 - * Countries which now use UNFCCC data but show no strong changes in total emissions: Guatemala, Togo.
 - * Some countries have newly available UNFCCC data, however, the sector resolution is not sufficient to be used for $\rm CO_2$ in categories 1 and 2: Albania, Egypt (CAT2 only), Chad.
 - * Countries with newly available UNFCCC data, where PRIMAP-hist total emissions are corrected downward significantly (individual sectors / gases / years can also show increased emissions): Albania, China (especially energy CO₂), Cuba, Ethiopia, India, Kenya, Niue, Saudi Arabia, Thailand.
 - * Countries with newly available UNFCCC data, where PRIMAP-hist emissions are corrected upward significantly (individual sectors / gases / years can also shown decreased emissions): Morocco, Marshall Islands, Montenegro (post-1990), Malaysia, Saint Vincent and the Grenadines, Lebanon (CAT4).
 - Some countries have extended or modified data
 - * Extended and modified data: Brazil (total emissions corrected downward, but individual sectors / gases corrected upward), Mauritius (small changes), Kyrgyzstan (significant differences for most sectors and gases), Uzbekistan (small changes), Uruguay (lower emissions, mainly from CAT4 and CAT6).
 - * Extended data: Argentina (recent emissions corrected upward), Bosnia and Herzegovina (recent emissions corrected upward), Peru (no major changes), Singapore (much higher emissions in recent years).
 - We excluded some existing and new data. Some data might be included again in future

versions of the PRIMAP-hist dataset if discrepancies to other sources and between years can be understood and the data verified.

- * Belize: single years show emissions with a factor of 20-50 above the other years and EDGAR data for several sectors and gases. Data removed completely.
- * Chile: We exclude the UNFCCC2017B data and only use BUR data as the UNFCCC data contains additional data points which do not fit the BUR data and presumably were generated using a different methodology than used for the BUR data. This impacts emissions estimates for several sectors and gases.
- * Central African Republic: single year with emissions which strongly differ from other years (factor of ~100). Presumably using different methodology and from older National Communication. Removed completely, as remaining data only covers a period of 8 years.
- * Dominica: single year with emissions which strongly differ from other years (factor of ~100). Presumably using different methodology and from older National Communication. Removed completely, as remaining data only covers a period of 6 years.
- * Ecuador: factor ~100 discrepancies with EDGAR and FAO in CAT4, N₂O. Similar discrepancies in other sectors. As several years are affected, we remove data completely. Emissions are changed compared to v1.1.
- * Ethiopia: UN data for CAT1(A4), CH₄, N₂O seem to contain a mistake as they are inconsistent with the preceding and following years and the figures in the national communication. The tables in the national communication (The Federal Democratic Republic Of Ethiopia: Ministry of Environment and Forest (2015)) contain the presumably erroneous data. We remove 1997 2004 for CAT1, CH₄ and N₂O.
- * Jordan: single year with higher (factor 3) emissions in CAT6 ($\rm CH_4, N_2O$) influencing the CATM0EL KYOTO GHG results. We remove UNFCCC data completely as only 2 data years remaining.
- * Kenya: CAT4 N₂O data are almost 0 in 1994 compared to significant emissions in later years. Potentially using different methodology and from older National Communication. This strongly influences economy-wide emissions and is not in line with other sources. We remove 1994 data. This changes emissions compared to v1.1
- * Kiribati: CAT4 N₂O data are very high for a few years and not in line with EDGAR and FAO. This strongly affects the CAT0 results. We remove UNFCCC data completely.
- * Kyrgyzstan: HFCs data seem to have a unit error. HFCs data are removed and EDGAR data are used.
- * Niger: scaling of CDIAC due to UNFCCC data are extreme, especially as based on only two data points. We completely remove UNFCCC data.
- * Paraguay: strong fluctuations for CH₄ and N₂O data (CAT4 and CAT6) which dominate the KYOTO GHG time series. We remove UNFCCC data completely.
- * Zimbabwe (ZWE): Energy CO₂ is much higher than other sources for one of the three available data points. We remove UNFCCC data completely as only 2 years remaining.

• CDIAC2017

- Four countries have major adjustments of recent emissions:
 - * Afghanistan: emissions for energy CO_2 have been corrected downward. In the 2016 release, 2013 emissions were above 20 Mt while for the 2017 release they are roughly 10 Mt. BP data are in line CDIAC and extend the downward trend for 2015. Economy-wide Kyoto GHG emissions are corrected downward by about 1/3rd.
 - * Botswana: Emissions have strongly increased and are much higher than calculated in PRIMAP-hist v1.1. Consequently, 2014 emissions have changed from PRIMAP-hist v1.1 and 2015 emissions have increased further from 2014 emissions (based on BP2017 data).
 - * Mongolia: Emissions for energy CO_2 have been corrected downward. In the 2016 release, 2013 emissions were above 45 Mt while in the 2017 release they are roughly 20 Mt. BP data are in line with CDIAC and extend the downward trend for 2015. Economy-wide Kyoto GHG emissions are corrected downward by about 1/5th.
 - * Tonga: Emissions for 2013 are much lower than in CDIAC2016. This has significantly decreased 2013 and 2014 total emissions.
- CDIAC emissions have changed for several small states, especially small island states, also for historical years. The changes differ in affected years and strength over countries. Some larger countries have been corrected as well. Affected countries are: Anguilla, Antigua and Barbuda, Belize, Cook Islands, Comoros, Cape Verde, Dominican Republic, Fiji, Federated States of

Micronesia, Iran, Kiribati, Saint Kitts and Newis, Lesotho, Macao, Nigeria, Palau, People's Democratic Republic of Korea, Singapore, Suriname, Seychelles, Turks and Caicos Islands, Trinidad and Tobago, Samoa, Yemen, Zimbabwe.

- Additional historical years for Andorra lead to changes in extrapolation with EDGAR-HYDE data for energy CO₂.
- CDIAC contains data for Tuvalu in the 2017 release. Former releases did not contain data for Tuvalu.

• Processing

- Gap filling algorithm:
 - * Singapore: According to CDIAC data, energy CO₂ emissions were decreasing from 2011 to 2007. This was not visible in v1.1, as the gap between 2000 and 2010 in UNFCCC data was interpolated linearly and not filled with CDIAC trends as in v1.2.
 - * Other countries affected: Armenia, Azerbaijan, Colombia, Costa Rica, Dominican Republic, Peru, Peoples' Democratic Republic of Korea, and Uruguay.

10.13 v1.1 (March 2017)

The v1.1 release contains mostly bug fixes. To keep the dataset up to date we also included some updated data sources. The methodology remained unchanged apart from the minor changes described below.

10.13.1 Changes in PRIMAP-hist source creation

- South Sudan now has individual data for some sectors. For these sectors, South Sudan is treated as any other country during the source creation, while time series for other sectors and gases are downscaled from Sudan data.
- Sources with scarce data points for several countries (BUR2015, UNFCCC2017) are now interpolated
 before the creation of the PRIMAP-hist dataset, such that the linear regression used to match lower
 priority data sources can be computed. Before, the last data point was used directly.

10.13.2 Changes in data sources and preprocessing

10.13.2.1 Input source updates

- FAOSTAT data have been updated to the January 2017 version.
 - The last data year is now 2014 for all categories except for forest land emissions where it is 2015. However, for the PRIMAP-hist dataset we use the aggregate land use time series which has 2014 as the last data point.
 - There are significant changes in historical emissions for several countries.
 - * Land use data for several countries are very different from the 2015 version of FAOSTAT data.
 - * Manure management CH₄ and N₂O emissions for a lot of (mostly developed) countries were adjusted down by a large margin. This is not a general adjustment though, as some countries' emissions were adjusted upward, while others remained unchanged.
 - $\ast\,$ For some economies in transition, pre-1990 emissions are higher than in the 2015 FAOSTAT data.
- CDIAC fossil CO₂ data have been updated to the 2016 release.
- BP fossil CO₂ data have been updated to the 2016 release.
- UNFCCC "Detailed Data by Party" has been updated to January 2017
 - Data have not changed much compared to the version used for PRIMAP-hist v1.0.
 - For Kazakhstan, HFCs and PFCs data for the years 1990 and 1991 with very high emissions were removed from the UNFCCC data repository. In consequence Kazakhstan's historical (pre-1992) emissions for HFCs and PFCs are much lower in v1.1 than in v1.0.

10.13.2.2 Changes in processing

FAOSTAT

— In version 1.0 negative data were removed from the FAOSTAT dataset during processing. This has been fixed. It only affected land use CO₂. Where data were negative for part of the time series they were replaced by zero, while time series completely consisting of negative data were discarded such that Houghton data were used.

- In v1.0, single subcategories were linearly extrapolated during category aggregation, such that time series for all categories covered the same time frame. When the linear extrapolation lead to emission estimates of these subcategories to increase backwards in time, the linear regression was replaced with a linear path to zero emissions in the first year with data (1961). In v1.1, this has been changed, such that in those cases a constant extrapolation is used instead of a linear extrapolation to zero. This affects emission estimates from "Field burning of agricultural residues" (IPCC 1996 category 4F) and to a lesser extent subsectors of the "Agricultural soils" sector (IPCC 1996 category 4D). CH₄ and N₂O emissions are affected. Only a few countries are affected by the change.

• CDIAC

- A bug in the downscaling of regions to countries was fixed. This affected Indonesia (though
 not concerning the growth rates used in the PRIMAP-hist dataset, just the absolute values),
 Timor-Leste, Latvia and Estonia (cement only), and Palau prior to 1992.
- Downscaling of Italy and San Marino as a region to individual countries now uses EDGAR emissions from appropriate sectors instead of GDP data.

• UNFCCC

- A bug in the routine that read the csv files exported from the UNFCCC website lead to omitting the second block in the non-standard csv files. This bug has been fixed. Consequently, some countries now have one to three additional data points added at the end of the time series.
- Data for Viet Nam and Peru are now contained in the UNFCCC dataset with enough data to meet our minimum requirements. UNFCCC data for these two countries are therefore included in PRIMAP-hist v1.1.

10.13.3 Further bug fixes

- In v1.0, a few countries were missing in the downscaled Houghton data. Some countries are still not available as they are missing in the country mask used to convert the gridded vegetation data to countries. For details see Section Known problems below.
- In some cases the Composite Source Generator removed the first or last data point of a time series. This bug has been fixed.

10.13.3.1 Known problems

- For Mauritius, the first data point for CH₄ for different sectors in the UNFCCC 2017 dataset is very low compared to the other data points. This influences the final dataset.
- For Micronesia, the last data point for $\mathrm{CH_4}$ and $\mathrm{N_2O}$ from the agricultural sector (and all subsectors) is very low. This influences the final dataset.
- For Saint Kitts and Newis, N₂O emissions from the agricultural sector in the last years are much higher than the rest of the data. This influences the final dataset.
- There are no CH₄ and N₂O land use data for Egypt, Grenada, Haiti, and Singapore in PRIMAP-hist v1.1. The only available data source is FAO, which has only zero values in its current version and is thus not used for the PRIMAP-hist source.
- The (former) Netherlands Antilles are not included in the country mask used for Houghton (2008) downscaling, thus there are no Houghton (2008) based data.
- The country mask used in the downscaling of Houghton (2008) data treats Taiwan as a part of China and thus does not deliver data for Taiwan. As none of the data sources used for PRIMAP-hist has land use data for Taiwan we have no option to downscale Taiwan from China.
- Due to the additional year in FAO (2014) some developed countries have very low land use CH₄ emissions in 2014 compared to the period with CRF data. This will be solved in the next revision of PRIMAP-hist where CRF 2015 and CRF 2016 will be used. A number of possible reasons account for the differences between FAO and CRF data, which likely differ between countries. Land-use CH₄ emissions are dominantly from biomass burning. The FAO (Food and Agriculture Organization of the United Nations (2016)) calculate non-CO₂ from biomass burning using the tier 1 methodology of IPCC 2006 guidelines (IPCC (2006)) and activity data from GFED4 (Giglio et al. (2017)). National inventories (CRF 2014) are often based on country specific emissions factors and data for burned areas. The national inventories may also exclude natural disturbances and have different definitions than FAO for managed land areas. Land use N₂O emissions are subject to similar differences in data.

• UNFCCC data for Ecuador (aggregate sectors and gases) are much higher than third-party data, but only covers a few years. The resulting time series are thus discontinuous.

10.13.4 Noteworthy changes

- Aruba: historical CO₂ emissions are lower than in v1.0 because CDIAC emissions have been adjusted downward for the years prior to 1998.
- Australia, Belize, Botswana, Guinea-Bissau, Namibia, Papua New Guinea, Zimbabwe, Mongolia: changes in CH_4 and/or N_2O emissions due to the change in extrapolation of FAO data for subsectors of the agricultural sector.
- Bosnia and Herzegovina: pre-1990 CDIAC data have changed, leading to higher pre-1990 $\rm CO_2$ emissions in PRIMAP-hist.
- Eritrea: historical CO₂ emissions are higher than in v1.0 because CDIAC emissions have been adjusted upward for the years prior to 1998.
- Federated States of Micronesia and Saint Helena, Ascension, and Tristan da Cunha: emissions have increased due to an increase in FAO agricultural CH₄ and N₂O emissions.
- India: energy related CO₂ is lower starting in 1977 due to changes in CDIAC data.
- Palau, Timor-Leste: higher historical emissions due to the bugfix in CDIAC downscaling.
- Peru: the UNFCCC data that are now used as the first priority source differs from the third-party sources used in PRIMAP-histy v1.0.
- San Marino: changes in historical emissions due to the changed key data for downscaling of San Marino from Italy in CDIAC.
- Sudan, South Sudan: the availability of data for South Sudan changed the time series from the previous time series which, were based on downscaling using population data.
- Vanuatu had zero CO₂ emissions before 1960 in PRIMAP-hist v1.0 because CDIAC2015 had zero
 data for a few years before 1960. Now, the data are non-zero as these data points are not contained
 in CDIAC2016.
- For several countries, data for the last two years have changed, as additional data points from updated CDIAC, FAOSTAT, UNFCCC, and BP data replace extrapolated data.
- Land use data for the period of 1991 2014 have changed for several countries. The first reason is that we now use Houghton data for all years where they are available and not obtained through extrapolation (see Section 2.4.1 of the data description paper). The second reason is that the FAO data changed massively.

References

Andrew, R.: Global CO2 emissions from cement production V4, doi:10.5281/zenodo.3380081, 2019.

Andrew, R.: Global CO2 emissions from cement production, doi:10.5281/zenodo.5126601, 2021.

Andrew, R.: Global CO2 emissions from cement production, doi:10.5281/zenodo.7081360, 2022.

Andrew, R.: Global CO2 emissions from cement production, doi:10.5281/zenodo.8339353, 2023.

Andrew, R. M.: Global CO2 emissions from cement production, doi:10.5281/zenodo.11207133, 2024.

British Petroleum: BP Statistical Review of World Energy 2019., 2019.

British Petroleum: BP Statistical Review of World Energy 2020., 2020.

British Petroleum: BP Statistical Review of World Energy 2021., 2021.

British Petroleum: BP Statistical Review of World Energy 2022. [online] Available from: https://www.bp.com/content/dam/bp/business-sites/en/global/corporate/pdfs/energy-economics/statistical-review/bp-stats-review-2022-full-report.pdf (Accessed 11 October 2022), 2022.

Department for Energy Security and Net Zero: Final UK greenhouse gas emissions national statistics: 1990 to 2022, GOV.UK [online] Available from: https://www.gov.uk/government/statistics/final-uk-

greenhouse-gas-emissions-national-statistics-1990-to-2022 (Accessed 23 September 2024), 2024.

Energy Institute: EI Statistical Review of World Energy 2023. [online] Available from: https://www.energyinst.org/statistical-review (Accessed 18 October 2023), 2023.

Energy Institute: EI Statistical Review of World Energy 2024. [online] Available from: https://www.energyinst.org/statistical-review (Accessed 18 October 2023), 2024.

European Commission Joint Research Centre: GHG emissions of all world: 2021 report., Publications Office, LU. [online] Available from: https://data.europa.eu/doi/10.2760/173513 (Accessed 30 January 2023), 2021.

European Commission Joint Research Centre: CO2 emissions of all world countries: JRC/IEA/PBL 2022 report., Publications Office, LU. [online] Available from: https://data.europa.eu/doi/10.2760/730164 (Accessed 30 January 2023), 2022.

European Commission, JRC: EDGAR (Emissions Database for Global Atmospheric Research) Community GHG Database, a collaboration between the European Commission, Joint Research Centre (JRC), the International Energy Agency (IEA), and comprising IEA-EDGAR CO2, EDGAR CH4, EDGAR N2O, EDGAR F-GASES version 8.0, [online] Available from: https://edgar.jrc.ec.europa.eu/dataset_ghg80 (Accessed 8 January 2024), 2023.

European Commission. Joint Research Centre.: GHG emissions of all world countries: 2023, Publications Office, LU. [online] Available from: https://data.europa.eu/doi/10.2760/235266 (Accessed 26 February 2024), 2023.

European Environment Agency: National emissions reported to the UNFCCC and to the EU Greenhouse Gas Monitoring Mechanism, April 2024, doi:10.2909/6331F651-8863-4656-A911-669F2A332A1E, 2024.

Food and Agriculture Organization of the United Nations: FAO GEONETWORK. Country boundaries of the world (vector version) (FGGD) (GeoLayer). (Latest update: 04 Jun 2015), [online] Available from: $\frac{\text{http://ref.data.fao.org/map?entryId=18329470-472d-11db-88e0-000d939bc5d8}}{\text{Accessed 13 July 2015)}}, 2015.$

Food and Agriculture Organization of the United Nations: FAOSTAT database, [online] Available from: http://www.fao.org/faostat/en/#data (Accessed 8 December 2016), 2016.

Food and Agriculture Organization of the United Nations: FAOSTAT database, [online] Available from: http://www.fao.org/faostat/en/#data (Accessed 30 September 2019), 2019.

Food and Agriculture Organization of the United Nations: FAOSTAT database, [online] Available from: http://www.fao.org/faostat/en/#data (Accessed 21 December 2020), 2020.

Food and Agriculture Organization of the United Nations: FAOSTAT database, [online] Available from: http://www.fao.org/faostat/en/#data (Accessed 26 June 2021), 2021.

Food and Agriculture Organization of the United Nations: FAOSTAT database, [online] Available from: http://www.fao.org/faostat/en/#data (Accessed 23 January 2023), 2023.

Food and Agriculture Organization of the United Nations: FAOSTAT database, [online] Available from: http://www.fao.org/faostat/en/#data (Accessed 8 January 2028), 2024.

Gieseke, R. and Gütschow, J.: UNFCCC Emissions data from the Detailed Data By Party interface (Version 2018-07-02) | Zenodo, doi:10.5281/zenodo.1310702, 2018.

Gieseke, R. and Gütschow, J.: UNFCCC Emissions data from the Detailed Data By Party interface (Download from 2019-08-01), doi:10.5281/zenodo.3369194, 2019.

Gieseke, R. and Gütschow, J.: UNFCCC Emissions data from the Detailed Data By Party interface, doi:10.5281/zenodo.4320577, 2020.

Gieseke, R. and Gütschow, J.: UNFCCC Emissions data from the Detailed Data By Party interface, doi:10.5281/zenodo.5150383, 2021.

Giglio, L., Randerson, J., Werf, G. van der and Halota, A.: Global Fire Emissions Database, [online] Available from: http://www.globalfiredata.org (Accessed 14 March 2017), 2017.

Gilfillan, D. and Marland, G.: CDIAC-FF: Global and national CO₂ emissions from fossil fuel combustion and cement manufacture: 1751–2017, Earth System Science Data, 13(4), 1667–1680, doi:10.5194/essd-13-1667-2021, 2021.

Gilfillan, D., Marland, G., Boden, T. and Andres, R.: Global, Regional, and National Fossil-Fuel CO2 Emissions: 1751-2017, doi:10.5281/zenodo.4281271, 2020.

Gütschow, J., Jeffery, M. L. and Günther, A.: PRIMAP-crf: UNFCCC CRF data in IPCC categories (PRIMAP-crf-2019-v2), doi:10.5281/ZENODO.3775575, 2020a.

Gütschow, J., Jeffery, M. L. and Günther, A.: PRIMAP-crf: UNFCCC CRF data in IPCC categories (PRIMAP-crf-2020-v1), doi:10.5281/zenodo.4320857, 2020b.

Gütschow, J., Jeffery, M. L. and Günther, A.: PRIMAP-crf: UNFCCC CRF data in IPCC categories (PRIMAP-crf-2020-v2), doi:10.5281/zenodo.4614240, 2021a.

Gütschow, J., Jeffery, M. L. and Günther, A.: PRIMAP-crf: UNFCCC CRF data in IPCC categories (PRIMAP-crf-2021-v1), doi:10.5281/zenodo.4723476, 2021b.

Hefner, M. and Marland, G.: Global, Regional, and National Fossil-Fuel CO2 Emissions: 1751-2020 CDIAC-FF, [online] Available from: https://energy.appstate.edu/research/work-areas/cdiac-appstate (Accessed 6 January 2024), 2023.

Hefner, M. W.: The CDIAC at AppState Dashboard, doi:10.5281/zenodo.10607882, 2024.

Hoesly, R. M., Smith, S. J., Feng, L., Klimont, Z., Janssens-Maenhout, G., Pitkanen, T., Seibert, J. J., Vu, L., Andres, R. J., Bolt, R. M., Bond, T. C., Dawidowski, L., Kholod, N., Kurokawa, J., Li, M., Liu, L., Lu, Z., Moura, M. C. P., O'Rourke, P. R. and Zhang, Q.: Historical (1750–2014) anthropogenic emissions of reactive gases and aerosols from the Community Emissions Data System (CEDS), Geoscientific Model Development, 11(1), 369–408, doi:10.5194/gmd-11-369-2018, 2018.

Hoesly, R. M., O'Rourke, P. R., Smith, S. J., Feng, L., Klimont, Z., Janssens-Maenhout, G., Pitkanen, T., Seibert, J. J., Vu, L., Andres, R. J., Bolt, R. M., Bond, T. C., Dawidowski, L., Kholod, N., Kurokawa, J., Li, M., Liu, L., Lu, Z., Moura, M. C. P., Zhang, Q., Goldstein, B. and Muwan, P.: CEDS v_2019_12_23 Emission Data, doi:10.5281/zenodo.3606753, 2020.

Houghton, R. A.: Carbon Flux to the Atmosphere from Land-Use Changes: 1850-2005, TRENDS online: A Compendium of Data on Global Change [online] Available from: http://cdiac.ornl.gov/trends/landuse/houghton/houghton.html (Accessed 3 November 2016), 2008.

IPCC: 2006 IPCC Guidelines for National Greenhouse Gas Inventories: Volume 4, Agriculture, Forestry and Other Land Use, Prepared by the National Greenhouse Gas Inventories Programme, edited by H. S. Eggleston, L. Buendia, K. Miwa, T. Ngara, and K. Tanabe, IGES, Japan., 2006.

Janssens-Maenhout, G., Crippa, M., Guizzardi, D., Muntean, M., Schaaf, E., Dentener, F., Bergamaschi, P., Pagliari, V., Olivier, J. G. J., Peters, J. A. H. W., van Aardenne, J. A., Monni, S., Doering, U. and Petrescu, A. M. R.: EDGAR v4.3.2 Global Atlas of the three major Greenhouse Gas Emissions for the period 1970–2012, Earth System Science Data Discussions, (August), 1–55, doi:10.5194/essd-2017-79, 2017.

Jeffery, M. L., Gütschow, J. and Gieseke, R.: PRIMAP-crf: UNFCCC CRF data in IPCC 2006 categories, doi:10.5880/pik.2018.001, 2018b.

Jeffery, M. L., Gütschow, J., Gieseke, R. and Gebel, R.: PRIMAP-crf: UNFCCC CRF data in IPCC 2006 categories, Earth System Science Data, 10(3), 1427–1438, doi:10.5194/essd-10-1427-2018, 2018a.

JRC: Emission Database for Global Atmospheric Research (EDGAR), release version 7.0, doi:10.2904/EDGARv4.2, 2022.

Klein Goldewijk, K., Beusen, a. and Janssen, P.: Long-term dynamic modeling of global population and built-up area in a spatially explicit way: HYDE 3.1, The Holocene, 20(4), 565-573, doi:10.1177/0959683609356587, 2010.

Klein Goldewijk, K., Beusen, A., Van Drecht, G. and De Vos, M.: The HYDE 3.1 spatially explicit database of human-induced global land-use change over the past 12,000 years, Global Ecology and Biogeography, 20(1), 73–86, doi:10.1111/j.1466-8238.2010.00587.x, 2011.

Meinshausen, M., Smith, S. J., Calvin, K., Daniel, J. S., Kainuma, M. L. T., Lamarque, J.-F., Matsumoto, K., Montzka, S. a., Raper, S. C. B., Riahi, K., Thomson, A., Velders, G. J. M. and Vuuren, D. P. P.: The RCP greenhouse gas concentrations and their extensions from 1765 to 2300, Climatic Change, 109(1-2), 213–241, doi:10.1007/s10584-011-0156-z, 2011.

Ministry for the Environment: New Zealand's Greenhouse Gas Inventory 1990–2022, Ministry for the Environment [online] Available from: https://environment.govt.nz/publications/new-zealands-greenhouse-gas-inventory-1990-2022/ (Accessed 23 September 2024), 2024.

National Institute for Environmental Studies, Japan: National GHG Inventory 2024, National Institute for Environmental Studies, Japan [online] Available from: http://www.nies.go.jp/gio/en/aboutghg/index.html (Accessed 23 September 2024), 2024.

National Statistical Committee of the Republic of Belarus: Greenhouse gas emissions, [online] Available from: https://www.belstat.gov.by/ofitsialnaya-statistika/makroekonomika-i-okruzhayushchaya-sreda/okruzhayushchaya-sreda/sovmestnaya-sistema-ekologicheskoi-informatsii2/b-izmenenie-klimata/b-3-vybrosy-parnikovyh-gazov/?_x_tr_sl=zh-TW&_x_tr_tl=en&_x_tr_hl=en-US&_x_tr_pto=wapp (Accessed 23 September 2024), 2024.

Olivier, J. G. J.: Trends in Global CO2 and Total Greenhouse Gas Emissions, PBL Netherlands Environmental Assessment Agency. [online] Available from: https://www.pbl.nl/sites/default/files/downloads/pbl-2022-trends-in-global-co2-and_total-greenhouse-gas-emissions-2021-summary-report 4758.pdf (Accessed 18 October 2023), Augst 2022.

Olivier, J. G. J. and Berdowski, J. J. M.: Global Emissions sources and sinks, in The Climate System, edited by J. Berdowski, R. Guicherit, and B. J. Heij, pp. 33–78, Balkema Publishers/Swets & Zeitlinger Publishers, Lisse, The Netherlands., 2001.

Pflüger, M. and Gütschow, J.: UNFCCC country-submitted greenhouse gas emissions data until 2022-10-12, doi:10.5281/zenodo.7188880, 2022.

Pflüger, M. and Gütschow, J.: UNFCCC country-submitted greenhouse gas emissions data until 2024-07-05, doi:10.5281/ZENODO.12664477, 2024.

Ramankutty, N. and Foley, J. A.: Estimating historical changes in global land cover: Croplands from 1700 to 1992, Global Biogeochemical Cycles, 13(4), 997–1027, doi:10.1029/1999GB900046, 1999.

Republic of China - Environmental Protection Administration: 2020 Republic of China - National Greenhouse Gas Report, Republic of China - Environmental Protection Administration. [online] Available from: https://unfccc.saveoursky.org.tw/nir/tw_nir_2020.php (Accessed 10 August 2021), 2020.

Republic of China - Environmental Protection Administration: 2022 Republic of China - National Greenhouse Gas Report, Republic of China - Environmental Protection Administration. [online] Available from: https://unfccc.saveoursky.org.tw/nir/tw_nir_2020.php (Accessed 13 October 2022), 2022.

Republic of China - Environmental Protection Administration: 2023 Republic of China - National Greenhouse Gas Report, Republic of China - Environmental Protection Administration. [online] Available from: https://www.cca.gov.tw/information-service/publications/national-ghg-inventory-report/1851. https://www.cca.gov.tw/information-service/publications/national-ghg-inventory-report/1851. https://www.cca.gov.tw/information-service/publications/national-ghg-inventory-report/1851. https://www.cca.gov.tw/information-service/publications/national-ghg-inventory-report/1851. https://www.cca.gov.tw/information-service/publications/national-ghg-inventory-report/1851.

Republic of Korea: National Greenhouse Gas Inventory Report of Korea - 2020, Republic of Korea. [online] Available from: http://www.gir.go.kr/home/index.do?menuId=36 (Accessed 10 August 2021), 2020.

Republic of Korea: National Greenhouse Gas Inventory Report of Korea - 2021, Republic of Korea. [online] Available from: http://www.gir.go.kr/home/board/read.do?pagerOffset=0&maxPageItems=10 &maxIndexPages=10&searchKey=&searchValue=&menuId=36&boardId=54&boardMasterId=2&boardCategoryId= (Accessed 13 October 2022), 2021.

Republic of Korea: National Greenhouse Gas Inventory Report of Korea - 2023, Republic of Korea. [online] Available from: https://www.gir.go.kr/home/board/read.do?pagerOffset=0&maxPageItems=10 &maxIndexPages=10&searchKey=&searchValue=&menuId=36&boardId=62&boardMasterId=2&boardCategoryId= (Accessed 3 April 2024), 2023.

The Federal Democratic Republic Of Ethiopia: Ministry of Environment and Forest: Ethiopia's Second National Communication to the UNFCCC, The Federal Democratic Republic Of Ethiopia: Ministry of Environment and Forest., 2015.

Turkish Statistical Institute: Greenhouse Gas Emissions Statistics, 1990-2022, [online] Available from: https://data.tuik.gov.tr/Bulten/Index?p=Greenhouse-Gas-Emissions-Statistics-1990-2022-53701 (Accessed 23 September 2024), 2024.

UNFCCC: National Inventory Submissions 2019, [online] Available from: https://unfccc.int/process-and-meetings/transparency-and-reporting/reporting-and-review-under-the-convention/greenhouse-gas-inventories-annex-i-parties/national-inventory-submissions-2019 (Accessed 31 October 2019a), 2019.

UNFCCC: Submitted biennial update reports (BURs) from non-Annex I Parties, [online] Available from: https://unfccc.int/process/transparency-and-reporting/reporting-and-review-under-convention/biennial-update-reports-0 (Accessed 30 September 2019b), 2019.

UNFCCC: Submitted biennial update reports (BURs) from non-Annex I Parties, [online] Available from: https://unfccc.int/process/transparency-and-reporting/reporting-and-review-under-convention/biennial-update-reports-0 (Accessed 30 September 2020), 2020.

UNFCCC: Submitted biennial update reports (BURs) from non-Annex I Parties, [online] Available from: https://unfccc.int/process/transparency-and-reporting/reporting-and-review-under-convention/biennial-update-reports-0 (Accessed 25 July 2021), 2021.

UNFCCC: Submitted biennial update reports (BURs) from non-Annex I Parties, [online] Available from: https://unfccc.int/process/transparency-and-reporting/reporting-and-review-under-convention/biennial-update-reports-0 (Accessed 26 September 2022), 2022.

UNFCCC: First Biannial Transparency Reports. Sep 2024, [online] Available from: https://unfccc.int/first-biennial-transparency-reports (Accessed 1 September 2024a), 2024.

UNFCCC: National Communication submissions from Non-Annex I Parties, [online] Available from: https://unfccc.int/non-annex-I-NCs (Accessed 1 September 2023b), 2024.

UNFCCC: National Inventory Submissions 2023 Jan24, [online] Available from: https://unfccc.int/ghg-

inventories-annex-i-parties/2023 (Accessed 8 January 2024c), 2024.

UNFCCC: Submitted biennial update reports (BURs) from non-Annex I Parties, [online] Available from: https://unfccc.int/BURs (Accessed 27 June 2024d), 2024.

UNFCCC: UNFCCC Greenhouse Gas Inventory Data - Detailed data by Party, [online] Available from: http://di.unfccc.int/detailed_data_by_party (Accessed 5 July 2024e), 2024.

US EPA, O.: Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990-2022, [online] Available from: https://www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2022 (Accessed 23 September 2024), 2024.

Van Aardenne, J. A., Dentener, F. J., Olivier, J. G. J., Goldewijk, C. G. M. K. and Lelieveld, J.: A 1 x 1 deg resolution data set of historical anthropogenic trace gas emissions for the period 1890-1990, Global Biogeochemical Cycles, 15(4), 909-928, doi:10.1029/2000GB001265, 2001.